

# Scratch Brushes





## Top quality animal comfort

### improved animal health

Animals have the need to rub and scratch themselves. Cattle brushes are an important part of general hygiene and no modern cowshed should be without one. The animals clean themselves and get rid of lice, mites, and other parasites. The development of eczema or fungal infections is reduced or even generally prevented. When animals are healthy, then you have a calm, relaxed herd.

### Improved yield

Healthy and cared-for cattle and goats can achieve improved yields because the feeling of well-being is an important factor. The large-area brushing and massaging increases blood circulation in the skin, promotes heat dissipation and stimulates the metabolism. The stimulated blood circulation can increase milk yields and increase the frequency of „in-heat“ periods.

### Variety and occupation

The animals become calmer, their well-being increases through the use of a scratch brush, and they are also occupied. Undesirable animal behaviours, such as mutual suckling with calves, are also reduced.

### Easy assembly

Our electric cow cleaning machines are easy to install and nearly maintenance-free. Greasing at the pressure lubrication points and prompt replacement of brush rollers extend service life and attractiveness to animals. The devices are suitable for outside installation, e.g. under a projecting roof.

### Robust and effective

Not every cow brush achieves the same result. It should particularly be ensured that the brush can be operated by the animal easily, reaches as many body parts as possible, has a good cleaning effect, does not injure the animal, requires little maintenance, and works problem-free.

The importance of a robust and long-lasting design is demonstrated by the fact that, in a herd of 30 animals, each cow brushes herself for 10 minutes per day on average, and so a cow-cleaning machine operates for several hours every day.

### Smart and secure

Further important aspects in the selection of a suitable cow brush include safe, injury-free use and convenient operation. This is where the intelligent electronics of the HAPPYCOW brushes convince through error-free, low-maintenance operation. The changing direction of the brush after every activation ensures even wear of the brushes. The torque-operated safety shutdown stops the brush when it encounters too much resistance, thus ensuring safety in the cowshed.





## Installation location

So that your animals enjoy an optimum brushing experience, the installation location of the brushes should be selected with care. Select a location which has a lot of free space, so that other animals can get past the animals who are scratching themselves, and that low-ranking animals also get their brushing time. Ensure that dead-ends and dark corners are avoided, and position the brushes as far as possible from feeding and drinking areas, in order to prevent contamination from these.


Find the right brush type for your application:

Brushes for Animals	The benefits	suitable for	Installation location
HAPPYCOW Uno	installation on half-height wall possible	adult cattle	wall, half-height wall
HAPPYCOW Duo	simultaneous brushing of back and flank	adult cattle	Wall
HAPPYCOW MaxiSwing	accessible from all sides - large brush surface	adult cattle	wall, pillar
HAPPYCOW MidiSwing	accessible from all sides	suitable for cattle older than 1 year and adult cattle	wall, pillar
HAPPYCOW MiniSwing	accessible from all sides	Calves and goats	wall, pillar
HAPPYCOW Free Maxi	low-cost and low-maintenance	Large animals	wall, pillar
HAPPYCOW FlexiSwing	low-cost and low-maintenance	adult cattle, young animals and calves from 2 months, horses	wall, pillar
Post Scrubber	Scratch Brush for Outdoor Use	cattle, calves, goats, horses, etc.	for floor/ground installation on compacted surfaces or pasture land
HAPPYCOW Bully / Scratch Plate	very robust construction, designed for bull fattening	Beef fattening	Stabling, wall
Cattle Brush Texas/Cattle Brush 29325	low-cost and low-maintenance	cattle, calves, goats, horses, etc.	wall, pillar
Scratch Brush	good value and low maintenance - minimum space requirement - flexible in use	cattle, calves, horses, etc.	wall, pillar, posts, edges, etc.
Scratch Mats	good value and low maintenance - minimum space requirement - flexible in use	cattle, calves, goats, horses, etc.	wall, pillar, posts, edges, etc.



## Legal requirements and initiatives: Brushes in animal husbandry

Brushes are becoming part of everyday life in more and more livestock farms and are having a positive impact. In some countries, there are legal requirements and initiatives that require brushes for animals. You can find information on this on our website at: <https://www.kerbl.com/en/livestock-brushes>









## Cattle Brush HAPPYCOW Duo

Through the extensive brushing, cleaning and massaging of the head, neck, back, torso and flank, the skin is better supplied with blood and the metabolism is stimulated. The 2-brush machine allows simultaneous cleaning of the flanks and the back.

- the cow cleaning machine is automatically activated by the animals slightly raising the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- permanent lubrication over the gears' entire service life
- intelligent electronics for fault-free and low-maintenance operation
- control with clearly visible display to indicate the operating status
- variable setting options for brush running time (10 - 300 s)
- the changing direction of the brush after every activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised

Technical data	18820
Voltage	230 V
Mains frequency	50 Hz
Power	370 W
Speed	60 rpm
Weight	150 kg
Protection class	IP54
length of horizontal brush	550 mm
Ø Horizontal Brush	285 - 420 mm
length of vertical brush	650 mm
Ø Vertical Brush	275 - 315 mm
Bristle material	Polyamide

Ref. no.	Colour	Width	Depth	Height		€	
18820	red / blue	40 cm	105 cm	115 cm	2		

Ref. no.	Description	Material	suitable for			€
18821	Spare Brush horizontal	Polyamide	HAPPYCOW Duo, Kerbl; Schurr; Kraxzmaxx	1	24	
18822	Spare Brush vertical	Polyamide	HAPPYCOW Duo, Kerbl; Kraxzmaxx	1	36	

Made in Germany



a quality product developed and produced by Kerbl



TV





## Cattle Brush HAPPYCOW Uno

The back, tail and torso, but also the head, are brushed thanks to the diagonal, conical arrangement. The HAPPYCOW Uno can be mounted almost anywhere without an additional frame. The control is well protected in the machine housing.

- the cow cleaning machine is automatically activated by the animals slightly raising the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- control with clearly visible display to indicate the operating status
- variable setting options for brush running time (10 - 300 s)
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised



Made in Germany



a quality product developed and produced by Kerbl

Optional bounce frame



### Technical data

Voltage	230 V
Mains frequency	50 Hz
Power	370 W
Speed	46 rpm
Weight	110 kg
Protection class	IP56
Brush length	840 mm
Ø brush	270 - 500 mm

TV

Ref. no.	Description	Colour	Width	Depth	Height		€
18690	with PP bristles	red / blue	50 cm	110 cm	120 cm		
18680	with PA bristles	red / blue	50 cm	110 cm	120 cm		

Ref. no.	Description	Colour	Material			€
18691	Brush Kit Complete incl. 2 End Discs from 2004 model	red / blue	Polypropylene	1	8	
18681	Brush Kit Complete incl. 2 End Discs from 2004 model	red / blue	Polyamide	1	8	
18692	Brush Kit Complete incl. 2 End Discs up to 2003 model	red / blue	Polypropylene	1	8	
18709	Bounce frame HAPPYCOW		galvanised metal	1		





## Cattle Brush HAPPYCOW MaxiSwing

The special arrangement of the brush in the vertical direction makes the cleaning of the coat at the torso and head easier. The brush is accessible from all sides and rotates in every direction and nearly every angle, so each part of the animal's body can be reached. Furthermore, there is no risk of jumping up as with horizontal brushes!

- the HAPPYCOW Swing series is automatically activated by the animals slightly deflecting the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- control with clearly visible display to indicate the operating status Energy-saving function: automatic stop of brush rotation if the brush has not been deflected for at least 10 seconds (previously the run time was fixed at 60 seconds). This results in an energy saving of up to 75 % in the event of „accidental“ actuation or short use by the animal.
- variable setting options for brush running time (10 - 300 s)
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised

Made in Germany



a quality product developed and produced by Kerbl

Technical data	18860
Voltage	230 V
Mains frequency	50 - 60 Hz
Power	550 W
Speed	50 rpm
Weight	105 kg
Protection class	IP54
Brush length	1.010 mm
Ø brush	350 - 490 mm
Bristle material	Polypropylene

Ref. no.	Colour	Width	Depth	Height		€
18860	red / blue	49 cm	134 cm	190 cm	2	

TV

Ref. no.	Description	Colour	suitable for		€
18881	Spare Brush HAPPYCOW	red / blue	18860, 18865	1	





## Cattle Brush HAPPYCOW MidiSwing

Made in Germany



The vertical pendulum brush reaches almost any body part, head and rump especially are thoroughly cleaned. The HAPPYCOW MidiSwing scratch brush is suitable for cows from 1 year of age and adult cattle.

- the HAPPYCOW Swing series is automatically activated by the animals slightly deflecting the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- Energy-saving function: automatic stop of brush rotation if the brush has not been deflected for at least 10 seconds (previously the run time was fixed at 60 seconds). This results in an energy saving of up to 75 % in the event of „accidental“ actuation or short use by the animal.
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised



a quality product developed and produced by Kerbl

Technical data	18850
Voltage	230 V
Mains frequency	50 - 60 Hz
Power	180 W
Speed	50 rpm
Weight	65 kg
Protection class	IP54
Brush length	600 mm
Ø brush	430 mm
Bristle material	Polypropylene

Ref. no.	Colour	Width	Depth	Height		€
18850	red / blue	43,5 cm	125 cm	148 cm	1	

Ref. no.	Description	suitable for		€
18851	Spare Brush HAPPYCOW	18850, 18660	1	


## Cattle Brush HAPPYCOW MiniSwing

The vertical pendulum brush reaches almost any body part, head and rump especially are thoroughly cleaned. The HAPPYCOW MiniSwing scratch brush is suitable for calves from 2 months of age and adult goats.

Made in Germany



- the HAPPYCOW Swing series is automatically activated by the animals slightly deflecting the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- Energy-saving function: automatic stop of brush rotation if the brush has not been deflected for at least 10 seconds (previously the run time was fixed at 60 seconds). This results in an energy saving of up to 75 % in the event of „accidental“ actuation or short use by the animal.
- intelligent electronics for fault-free and low-maintenance operation
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised




a quality product developed and produced by Kerbl

Technical data	18840
Voltage	230 V
Mains frequency	50 - 60 Hz
Power	120 W
Speed	27 rpm
Weight	40 kg
Protection class	IP54
Brush length	470 mm
Ø brush	250 mm
Bristle material	Polyamide

Ref. no.	Colour	Width	Depth	Height		€
18840	red / blue	30 cm	106 cm	135 cm	1	


Ref. no.	Description	suitable for		€
18841	Spare Brush HAPPYCOW MiniSwing	18840	1	



### MaxiSwing




suitable for fully-grown cattle



### MidiSwing



suitable for cattle older than 1 year and adult cattle



### MiniSwing



suitable for calves and goats



## Cattle Brush HAPPYCOW Free Maxi

The HAPPYCOW Free Maxi allows the animals to determine the cleaning and massage intensity themselves.

- vertical oscillating brush without power connection
- also ideal as play material
- suitable for indoor and outdoor use
- high-quality bristles ensure a long service life
- Very robust
- low-cost and low-maintenance
- hot-dip galvanised articulated suspension with plain bearing bushes

Made in Germany



a quality product developed and produced by Kerbl

Technical data	18865
Weight	49 kg
Brush length	1.010 mm
Ø brush	350 - 500 mm
Bristle material	Polypropylene



Ref. no.	Colour	Width	Depth	Height			€	
18865	red / blue	49 cm	120 cm	150 cm	1	2		

Ref. no.	Description	Colour	suitable for		€	
18881	Spare Brush HAPPYCOW	red / blue	18860, 18865	1		


## Scratch Brush HAPPYCOW FlexiSwing

HAPPYCOW FlexiSwing is the easy and price-conscious solution for increasing the wellbeing of cattle and horses. The cow brush can be easily installed outdoors or indoors and offers animals both an opportunity to scratch and keep themselves busy.

- vertical oscillating brush without power connection
- allows the animals to determine the cleaning and massage intensity themselves
- ideal counterpressure for different animal species and sizes thanks to the robust spring suspension
- suitable for indoor and outdoor use
- high-quality bristles and hot-dip galvanised steel parts guarantee a long service life
- low-cost, low-maintenance alternative to electric scratching brushes
- easy assembly
- Supplied in three packs

Included in delivery: 1 x brush unit, 1 x spring, 1 x mounting arm, 1 x instruction manual

Technical data	
Weight	42 kg
Brush length	750 mm
Ø brush	300 - 435 mm
Bristle material	Polypropylene



Ref. no.	Colour	Depth	Height		€
18670	red / blue	101,5 cm	151 cm	1	

Ref. no.	Description	Material	suitable for		€
18670-1	Spring for HAPPYCOW	Spring Steel	18670	1	
18671	Spare Brush HAPPYCOW FlexiSwing		18670	1	





## Post Scrubber HAPPYCOW

- Scratch Brush for Outdoor Use
- available in 2 sizes (Maxi and Mini)
- for floor/ground installation on compacted surfaces or pasture land
- robust, hot-dip galvanised metal structure
- high-quality, resistant bristles
- 19 Brush Rings (Maxi) or Brush Rolls (Mini), both replaceable

18650: Base anchor set for pasture Installation optionally available

Made in Germany



18660



18652

18650

### Technical data

Brush length	1.000 mm
Ø brush	500 mm
Bristle material	Polypropylene

Ref. no.	Description	Colour	Height			€
18650	Maxi	red / blue	163 cm	1	2	
18660	Mini	red / blue	100 cm	1	2	


Ref. no.	Description	Colour	Material	suitable for	MOQ	Pieces / unit		€
18851	Spare Brush HAPPYCOW	red / blue		18850, 18660			1	
18652	base anchor set for post scrubber Maxi		galvanised metal	18650			1	
18651-2	Brush Rings for Post Scrubber Maxi	blue		18650	1 pack	8 / pack	1	
18651-3	Brush Rings for Post Scrubber Maxi	red		18650	1 pack	11 / pack	1	



## Scratch Brush HAPPYCOW Bully

- allows breed-specific scrubbing of head and body sides
- very robust construction made of hot-dip galvanised steel, designed for bull fattening
- flexible mounting on stalls or walls
- height-adjustable and flexible mounting, thanks to integrated slotted holes
- high-quality, resistant bristles
- replaceable brush bars
- brush back made from 100 % recycling material
- suitable for Cattle Feed Animal Well-Being initiative
- mounting set for stalls optionally available

Made in Germany



Ref. no.	Colour	Width	Height	Bristle material			€
293130	red / blue	30 cm	90 cm	Polyamide	1	10	

Ref. no.	Description	Colour	Material	Width	Height		€
293130-2	Brush for Scratching Brush HAPPYCOW Bully	red / blue		15 cm	90 cm	1	
293151	Stabling mounting kit 2"		hot-dip galvanised metal			1/6	
293152	Stabling mounting kit 2 1/2"		hot-dip galvanised metal			1/6	

## Scratch Plate

- for coat care
- simple and inexpensive
- very robust construction made of hot-dip galvanised steel, designed for bull fattening
- durable and easy care
- scratching surface 90 x 30 cm
- flexible mounting on stalls or walls
- height-adjustable and flexible mounting, thanks to integrated slotted holes
- mounting set for stalls optionally available
- suitable for Cattle Feed Animal Well-Being initiative



293151

Ref. no.	Width	Height	Depth			€
293150	43 cm	90 cm	4 cm	1	50	

Ref. no.	Description	Material		€
293151	Stabling mounting kit 2"	hot-dip galvanised metal	1/6	
293152	Stabling mounting kit 2 1/2"	hot-dip galvanised metal	1/6	





# Scratch Brush

- ensures ideal fur cleaning and care
- head and throat in particular can be cleaned
- suitable for cattle and calves, horses, etc.
- various mounting options (walls, corners, stables, posts)

Made in Germany




Ref. no.	Colour	Width	Height	Depth	Bristle material	Bristle length			€
293100	red / blue	22 cm	50 cm	9 cm	Polyamide	5 cm	1	100	




# Scratch Brush XL

- allows breed-specific scrubbing of head and body sides
- ensures ideal fur cleaning and care
- suitable for cattle and calves, horses, etc.
- various mounting options (walls, corners, stables, posts)

Made in Germany




Ref. no.	Colour	Width	Height	Depth	Bristle material	Bristle length		€
293105	red / blue	32 cm	50 cm	11 cm	Polyamide	6 cm	1	





## Cattle Brush Texas

- stable design with built-in spring
- Horizontal brush movable in all directions






Ref. no.	Brush length	Brush width			€
29310	50 cm	10 cm	1	24	



Ref. no.	Description	Length	Width			€
29305	Spare Brush	50 cm	10 cm	1/2	200	
6033	Spring for Texas Cattle Brush	35 cm		1	180	

## Cattle Brush

- complete with spring
- the especially robust design of this brush ensures a high level of user comfort
- animals of various sizes can properly scrub themselves
- the enormous flexibility even stands up to extraordinary loads (e.g. jumping animals)
- special Nylon bristles for fur cleaning and care
- brush back made from 100 % recycling material
- stable spring suspension





Ref. no.	Colour	Brush length	Brush width			€
29325	blue / red	50 cm	10 cm	1	24	

Ref. no.	Description	Length	Width			€
29302	Spare Brush	50 cm	10 cm	1/2	200	
29326	Top with spring without brush			1/2	24	

## Scratch Brush Benny


- allows breed-specific scrubbing of head and body sides
- ensures ideal fur cleaning and care
- suitable for cattle and calves, horses, etc.
- various mounting options (walls, corners, stables, posts)
- with mounting material




Ref. no.	Colour	Width	Height	Depth	Bristle material	Bristle Length			€
293110	red	19 cm	45 cm	10 cm	Polyamide	5,5 cm	1	204	

## Scratch Brush flexible


- allows breed-specific scrubbing of head and body sides
- ensures ideal fur cleaning and care
- 3-part design offers flexible adaptation to different mounting locations
- can be mounted flat on the wall or curved around corners, posts
- suitable for cattle and calves, horses, etc.
- includes fastening material






Ref. no.	Colour	Width	Height	Depth	Bristle material	Bristle Length		€
293111	red	30 cm	43 cm	9,5 cm	Polyamide	5,5 cm	1	

## Scratch Mat

- made from natural rubber material
- mobile and soft nubs provide optimum coat care without risk of skin irritation
- rectangular shape with many mounting holes for stable mounting
- multi-functional applications such as flat on the wall or around pillars, posts or corners
- not suitable for adult cattle



Ref. no.	Colour	Length	Width			€
32678	black	40 cm	30 cm	1/12	240	
32689	black	60 cm	40 cm	1/6	168	





# Scratch and Cleaning Mat KratzPad


the flexible mat for natural coat care - without any tools

Made in the EU




Simple, flexible and safe: the scratch and cleaning mat for horses and other animals with the skin-protecting structure. Thanks to its flexible design, can be easily installed on flat surfaces, over corners or on trees or posts.

- the mat's special structure prevents wounds and scratches to the animal, even with constant rubbing
- easy to install in stables, on fences, on tree trunks, on posts, on walls, etc.
- protects your infrastructure: nibbled box doors, damaged fence posts or nibbled tree bark can be easily avoided with the mat
- made from durable polyethylene
- not suitable for adult cattle





easy mounting with screws or nails



Can also be used as a cleaning mat:

- its resistance to chemicals means that the mat can also be used in boot disinfection baths for combined cleaning and disinfection

Ref. no.	Colour	Length	Width			€
3282838	green	40 cm	60 cm	1/10	400	
3282839	green	55 cm	90 cm	1/10	120	

## Professional product advice

### Do you require specific advice on our products?

If you have questions or require more detailed information, our specially trained product experts look forward to helping you at any time. Contact us by phone at +49 8086 933 - 322 or by e-mail at [kuhputzmaschine@kerbl.com](mailto:kuhputzmaschine@kerbl.com). For more information about the various product areas, please go to our website [www.kerbl.de](http://www.kerbl.de).




# Made in Germany – Produced in Buchbach

## Quality products from Kerbl



To ensure animal comfort, Kerbl relies on Made in Germany quality:  
All cow cleaning machines are developed and produced by Kerbl.



### Albert Kerbl GmbH

Felizenzell 9  
84428 Buchbach  
Germany  
Telefon +49 8086 933-100  
Telefax +49 8086 933-500  
E-Mail [info@kerbl.com](mailto:info@kerbl.com)  
[www.kerbl.com](http://www.kerbl.com)

© 07/2025

We are constantly striving to improve our stock of products and keep them right up to date. We reserve the right to make design changes. The publication of this catalogue renders all previous catalogues and prices lists for these products invalid.  
All prices provided are the manufacturer's recommended retail prices and are inclusive of VAT. All information is subject to typesetting and printing errors.  
Price alterations and errors reserved.  
Colours and designs may vary due to printing processes. Reprinting – even just of extracts – is only permitted only with prior consent.