

Scratch Brushes





Top Quality Animal Comfort

Improved Animal Health

Animals have a need to rub and scratch themselves. Cattle brushes are an important part of general hygiene and no modern cowshed should ever be without them. With them, the animals can clean themselves and rid themselves of lice, mites, and other parasites. This helps to reduce or even prevent the development of eczema or fungal infection. When animals are healthy, you have a calm and relaxed herd.

Improved Yield

Healthy cattle and goats who are properly cared for can achieve improved yields as their feeling of well-being is an important factor. The large-area brushing and massaging increases blood circulation in the skin, promotes heat dissipation, and stimulates the metabolism. The stimulated blood circulation can increase milk yields and increase the frequency of "in-heat" periods.

Variety and Occupation

Use of a scratch brush makes the animals calmer, boosts their well-being, and helps to keep them occupied. Undesirable animal behaviors, such as mutual suckling with calves, are also reduced.

Easy Assembly

Our electrically-operated cow cleaning machines are easy to install and virtually maintenance-free. Greasing at the pressure lubrication points and prompt replacement of brush rollers extend the machine's service life and improve the appeal to animals. The devices are suitable for outside installation, e.g., under a projecting roof.


Robust and Effective

Not every cow brush achieves the same result. It's important to ensure that the brush can be operated by the animal easily, reaches as many parts of the body as possible, has a good cleaning effect, does not injure the animal, requires little maintenance, and works without problems.

The importance of a robust and long-lasting design is demonstrated by the fact that, in a herd of 30 animals, each cow brushes herself for ten minutes per day on average, which means that a cow cleaning machine will run for several hours every day.

Smart and Safe

Additional important aspects in the selection of a suitable cow brush include safe, injury-free use and convenient operation. Which is exactly where the intelligent electronics of the HAPPYCOW brushes come in, with persuasive error-free and low-maintenance operation. With their clear operating status display, the controls provide variable adjustment of the brush running time (10 to 300 s). Changing the direction of the brush after every activation ensures even wear of the brushes. The torque-operated safety shutdown stops the brush when it encounters too much resistance, thus ensuring safety in the cowshed.



Safety first – with HAPPYCOW

Our electrically-operated cow cleaning machines HAPPYCOW Duo, HAPPYCOW MaxiSwing (and soon HAPPYCOW Uno) bear the ETL Listed Mark. HAPPYCOW MidiSwing and HAPPYCOW MiniSwing are also fully prepared to receive ETL certification.

The Intertek ETL Listed Mark is proof of product compliance with North American safety standards. Authorities Having Jurisdiction (AHJs) and code officials across the US and Canada accept the ETL Listed Mark as proof of product compliance to published industry standards.

The ETL certification program requires manufacturers to participate in official follow-ups and assessments of their facilities in order to verify that the manufacturing process is suitable to achieve product compliance.

Intertek, one of the world's largest Testing, Inspection and Certification bodies, is an OSHA (Occupational Safety and Health Administration) recognized NRTL (Nationally Recognized Testing Laboratory) and is accredited as a Testing Organization and Certification Body by the Standards Council of Canada.

Intertek's product safety certification program includes the same testing, listing, labeling, and follow-up inspection services as competing certification marks, such as UL, CSA, and others.



Installation Location

It's important to choose the installation location of the brushes carefully so that your animals can enjoy the optimal brushing experience. Choose a location with plenty of free space, so that other animals can easily pass animals who are scratching themselves and low-ranking animals also enjoy brushing time. Avoid dead-ends and dark corners and position the brushes as far as possible from feeding and drinking areas, in order to prevent cross-contamination.

Find the right brush type for your application:

Brushes for Animals	The benefits	Suitable for	Installation Location
HAPPYCOW Uno	Installation on half-height wall possible	Adult cattle	Wall, half-height wall
HAPPYCOW Duo	Simultaneous brushing of back and flank	Adult cattle	Wall
HAPPYCOW MaxiSwing	Accessible from all sides - large brush surface	Adult cattle	Wall, pillar
HAPPYCOW MidiSwing	Accessible from all sides	Suitable for cattle older than 1 year of age and adults	Wall, pillar
HAPPYCOW MiniSwing	Accessible from all sides	Calves and goats	Wall, pillar
HAPPYCOW Free Maxi	Low cost and low maintenance	Large animals	Wall, pillar
HAPPYCOW FlexiSwing	Low cost and low maintenance	Adult cattle, young animals, and calves from 2 months of age, horses	Wall, pillar
Post Scrubber	Scratch Brush for Outdoor Use	Cattle, calves, goats, horses, etc.	For floor/ground installation on compacted surfaces or pasture land
HAPPYCOW Bully/Scratch Plate	Very robust construction, designed for bull fattening	Beef fattening	Stabling, wall
Cattle Brush Texas/Cattle Brush 29325	Low cost and low maintenance	Cattle, calves, goats, horses, etc.	Wall, pillar
Scratch Brush	Good value and low maintenance - minimum space requirement - flexible in use	Cattle, calves, horses, etc.	Wall, pillar, posts, edges, etc.
Scratch Mats	Good value and low maintenance - minimum space requirement - flexible in use	Cattle, calves, goats, horses, etc.	Wall, pillar, posts, edges, etc.



Cattle Brush HAPPYCOW Duo

The extensive brushing, cleaning, and massage of the head, neck, back, torso, and flank helps to improve the supply of blood to the skin and stimulate the metabolism. The two-brush machine enables simultaneous cleaning of the flank and the back.

- The cow cleaning machine is automatically activated by the animals raising the brush slightly
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Permanent lubrication over the gears' entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- Control with clearly visible display to indicate the operating status
- Variable setting options for brush running time (10 - 300 s)
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized

Technical data	18820-USA
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	370 W
Speed	78 rpm
Weight	330.7 lb / 150 kg
Degree of protection	IP55
Length of horizontal brush	21.6 in / 550 mm
Ø Horizontal Brush	11.2 - 16.5 in / 285 - 420 mm
Length of vertical brush	25.6 in / 650 mm
Ø Vertical Brush	10.8 - 12.4 in / 275 - 315 mm
Bristle material	Polyamide

Ref. no.	Color	Width	Depth	Height	
18820-USA	Red/blue	15.7 in / 40 cm	41.3 in / 105 cm	45.3 in / 115 cm	2 

Ref. no.	Description	Material	Suitable for		
18821	Spare Brush horizontal	Polyamide	HAPPYCOW Duo, Kerbl; Schurr; Krassmaxx	1	24
18822	Spare Brush vertical	Polyamide	HAPPYCOW Duo, Kerbl; Krassmaxx	1	36
18824	Spare Brush vertical	Polyamide	Schurr (> 2008)	1	36

Made in Germany



A quality product developed and produced by Kerbl

HAPPYCOW Duo bears the Intertek ETL Listed mark (listing report: 2239638KAU)

ETL listed





Cattle Brush HAPPYCOW Uno

The back, tail, and torso, as well as the head, are brushed thanks to the diagonal, conical arrangement. The HAPPYCOW Uno can be mounted almost anywhere without the need for an additional frame. The control is well protected inside the machine housing.


- The cow cleaning machine is automatically activated by the animals raising the brush slightly
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- Control with clearly visible display to indicate the operating status
- Variable setting options for brush running time (10 - 300 s)
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized

Made in Germany



A quality product developed and produced by Kerbl

Optional bounce frame



18691: Replacement Brush PP

Technical data	18690-USA
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	370 W
Speed	46 rpm
Weight	242.5 lb / 110 kg
Degree of protection	IP54
Brush length	33 in / 840 mm
Ø brush	10.6 - 19.7 in / 270 - 500 mm

Ref. no.	Description	Color	Width	Depth	Height	
18690-USA	With PP bristles	Red/blue	19.7 in / 50 cm	43.3 in / 110 cm	47.2 in / 120 cm	

Ref. no.	Description	Color	Material		
18691	Brush Kit Complete incl. 2 End Discs from 2004 model	Red/blue	Polypropylene	1	8
18709	Bounce frame HAPPYCOW		Galvanized metal	1	





Cattle Brush HAPPYCOW MaxiSwing

The special vertical arrangement of the brush makes cleaning of the coat around the torso and head easier. The brush is accessible from all sides and rotates in every direction and at nearly every angle, ensuring that every part of the animal's body is reached. No risk of jumping up as with horizontal brushes!

- The HAPPYCOW Swing series is automatically activated by the animals deflecting the brush slightly
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- Control with clearly visible display to indicate the operating status
- Variable setting options for brush running time (10 - 300 s)
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized

Made in Germany



A quality product developed and produced by Kerbl

HAPPYCOW MaxiSwing bears the Intertek ETL Listed mark (listing report: 2239638KAU)

ETL listed



The new HAPPYCOW Swing series - developed and produced in-house by Kerbl


- The fully redesigned, patent-pending pendulum brush has a robust and maintenance-friendly construction, as well as newly designed control electronics.
- The special arrangement of brush, drive, and joint unit serves to create optimized contact pressure between the brush and the animal, thereby guaranteeing an efficient and comfortable brushing process.

Technical data	18860
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	550 W
Speed	40 rpm
Weight	231.5 lb / 105 kg
Degree of protection	IP54
Brush length	39.8 in / 1,010 mm
Ø brush	13.8 - 19.3 in / 350 - 490 mm
Bristle material	Polypropylene

Ref. no.	Color	Width	Depth	Height	
18860	Red/blue	19.3 in / 49 cm	52.7 in / 134 cm	74.8 in / 190 cm	2



Ref. no.	Description	Color	Suitable for	
18881	Spare Brush HAPPYCOW	Red/blue	18860, 18865	1



Cattle Brush HAPPYCOW MidiSwing

The vertical pendulum brush reaches almost any part of the body, with particular attention paid to thorough cleaning of the head and rump. The HAPPYCOW MidiSwing scratch brush is suitable for cows from 1 year of age and adult cattle.

- The HAPPYCOW Swing series is automatically activated when the animals deflect the brush slightly
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized

Made in Germany



A quality product developed and produced by Kerbl

Technical data	18850-USA
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	180 W
Speed	29 rpm
Weight	143.3 in / 65 kg
Degree of protection	IP54
Brush length	23.6 in / 600 mm
Ø brush	16.9 in / 430 mm
Bristle material	Polypropylene

Ref. no.	Color	Width	Depth	Height		
18850-USA	Red/blue	17.1 in / 43,5 cm	49.2 in / 125 cm	58.3 in / 148 cm	1	

Ref. no.	Description	Suitable for	
18851	Spare Brush HAPPYCOW	18850-USA, 18660	1



Cattle Brush HAPPYCOW MiniSwing

Made in Germany



The vertical pendulum brush reaches almost any part of the body, with particular attention paid to thorough cleaning of the head and rump. The HAPPYCOW MiniSwing scratch brush is suitable for calves from 2 months of age and for adult goats.

- The HAPPYCOW Swing series is automatically activated by the animals deflecting the brush slightly.
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized




A quality product developed and produced by Kerbl

Technical data	18840-USA
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	120 W
Speed	27 rpm
Weight	88.2 lb / 40 kg
Degree of protection	IP54
Brush length	18.5 in / 470 mm
Ø brush	9.8 in / 250 mm
Bristle material	Polyamide

Ref. no.	Color	Width	Depth	Height		
18840-USA	Red/blue	11.8 in / 30 cm	41.7 in / 106 cm	53.1 in / 135 cm	1	


Ref. no.	Description	Suitable for	
18841	Spare Brush HAPPYCOW MiniSwing	18840-USA	1



MaxiSwing




Suitable for fully-grown cattle



MidiSwing



Suitable for cattle older than 1 year of age and adults



MiniSwing



Suitable for calves and goats

Cattle Brush HAPPYCOW Free Maxi

The HAPPYCOW Free Maxi allows the animals to determine the intensity of cleaning and massage themselves.

- Vertical oscillating brush with no power connection
- Also ideal as play material
- Suitable for use inside and outside
- High-quality bristles ensure a lengthy service life
- Very robust
- Low cost and low maintenance
- Hot-dip galvanized articulated suspension with plain bearing bushes

Made in Germany



A quality product developed and produced by Kerbl

Technical data	18865
Weight	108 lb / 49 kg
Brush length	39.8 in / 1,010 mm
Ø brush	13.8 - 19.7 in / 350 - 500 mm
Bristle material	Polypropylene

Ref. no.	Color	Width	Depth	Height			
18865	Red/blue	19.3 in / 49 cm	47.2 in / 120 cm	59.1 in / 150 cm	1	2	

Ref. no.	Description	Color	Suitable for		
18881	Spare Brush HAPPYCOW	Red/blue	18860, 18865	1	


Scratch Brush HAPPYCOW FlexiSwing

HAPPYCOW FlexiSwing is the easy and price-conscious solution to increase the well-being of cattle and horses. The cow brush can be easily installed outside or inside and offers animals both the opportunity to scratch and to keep themselves busy.

- Vertical oscillating brush with no power connection
- Allows the animals to determine the intensity of cleaning and massage themselves
- Ideal counterpressure for different species and size of animal thanks to robust spring suspension
- Suitable for use inside and outside
- High-quality bristles and hot-dip galvanized steel parts guarantee a lengthy service life
- Low-cost, low-maintenance alternative to electric scratching brushes
- Easy assembly
- Supplied in packs of three

Delivery content: 1 x brush unit, 1 x spring, 1 x mounting arm, 1 x instruction manual

Technical data	
Weight	92.6 lb / 42 kg
Brush length	29.5 in / 750 mm
Ø brush	11.8 - 17.1 in / 300 - 435 mm
Bristle material	Polypropylene



New product

NEW



Ref. no.	Color	Depth	Height	
18670	Red/blue	40 in / 101,5 cm	59.4 in / 151 cm	1

Ref. no.	Description	Material	Suitable for	
18670-1	Spring for HAPPYCOW	Spring Steel	18670	1
18671	Spare Brush HAPPYCOW FlexiSwing		18670	1



Post Scrubber HAPPYCOW

Made in Germany



- Scratch Brush for Outdoor Use
- Available in 2 sizes (Maxi and Mini)
- For floor/ground installation on compacted surfaces or pasture land
- Robust, hot-dip galvanized metal structure
- High-quality, resistant bristles
- 19 Brush Rings (Maxi) or Brush Rolls (Mini), both replaceable

18650: Base anchor set for pasture installation available as an option



Technical data

Brush length	39.4 in / 1,000 mm
Ø brush	19.7 in / 500 mm
Bristle material	Polypropylene

Ref. no.	Description	Color	Height			
18650	Maxi	Red/blue	64.2 in / 163 cm	1	2	
18660	Mini	Red/blue	39.3 in / 100 cm	1	2	

Ref. no.	Description	Color	Material	Suitable for	MOQ	Pieces/unit	
18851	Spare Brush HAPPYCOW	Red/blue		18850, 18660		1	1
18652	Base anchor set for post scrubber Maxi		Galvanized metal	18650		1	1
18651-2	Brush Rings for Post Scrubber Maxi	Blue		18650	1 pack	8 / pack	1
18651-3	Brush Rings for Post Scrubber Maxi	Red		18650	1 pack	11 / pack	1

Scratch Brush HAPPYCOW Bully

- Allows breed-specific scrubbing of head and body sides
- Very robust construction made of hot-dip galvanized steel, designed for bull fattening
- Flexible mounting on stalls or walls
- Height-adjustable and flexible mounting thanks to integrated slotted holes
- High-quality, resistant bristles
- Replaceable brush bars
- Brush back made from 100% recycled material
- Suitable for Cattle Feed Animal Well-Being initiative
- Mounting set for stalls optionally available

Made in Germany



Ref. no.	Color	Width	Height	Bristle material		
293130	Red/blue	11.8 in / 30 cm	35.4 in / 90 cm	Polyamide	1	10

Ref. no.	Description	Color	Material	Width	Height	
293130-2	Brush for Scratching Brush HAPPYCOW Bully	Red/blue		5.9 in / 15 cm	35.4 in / 90 cm	1
293151	Stable mounting kit 2"		Hot-dip galvanized metal			1/6
293152	Stable mounting kit 2 1/2"		Hot-dip galvanized metal			1/6

Scratch Plate

- For coat care
- Simple and inexpensive
- Very robust construction made of hot-dip galvanized steel, designed for bull fattening
- Durable and easy care
- Scratching surface 35.4 x 11.8 in
- Flexible mounting on stalls or walls
- Height-adjustable and flexible mounting thanks to integrated slotted holes
- Mounting set for stalls optionally available
- Suitable for Cattle Feed Animal Well-Being initiative

New product



293151

Ref. no.	Width	Height	Depth		
293150	16.9 in	35.4 in / 90 cm	1.6 in / 4 cm	1	50

Ref. no.	Description	Material	
293151	Stable mounting kit 2"	Hot-dip galvanized metal	1/6
293152	Stable mounting kit 2 1/2"	Hot-dip galvanized metal	1/6



Scratch Brush

- Ideal fur cleaning and care
- Great for cleaning the head and throat
- Suitable for cattle and calves, horses, etc.
- Various mounting options (walls, corners, stables, posts)

Made in Germany



Ref. no.	Color	Width	Height	Depth	Bristle material	Bristle length		
293100	Red/blue	8.7 in / 22 cm	19.7 in / 50 cm	3.5 in / 9 cm	Polyamide	2 in / 5 cm	1	100



Scratch Brush XL

- Allows breed-specific scrubbing of head and body sides
- Ideal fur cleaning and care
- Suitable for cattle and calves, horses, etc.
- Various mounting options (walls, corners, stables, posts)

Made in Germany



Ref. no.	Color	Width	Height	Depth	Bristle material	Bristle length	
293105	Red/blue	12.6 in / 32 cm	19.7 in / 50 cm	4.3 in / 11 cm	Polyamide	2.4 in / 6 cm	1

Cattle Brush Texas

- Stable design with in-built spring
- Horizontal brush can be moved in all directions




Ref. no.	Brush length	Brush width		
29310	19.7 in / 50 cm	3.9 in / 10 cm	1	24

Ref. no.	Description	Length	Width		
29305	Spare Brush	19.7 in / 50 cm	3.9 in / 10 cm	1/2	200
6033	Spring for Texas Cattle Brush	13.8 in / 35 cm		1	180

Cattle Brush

- Complete with spring
- The particularly robust design of this brush ensures a high level of user comfort
- Allows animals of different sizes to scrub themselves thoroughly
- The enormous flexibility can even withstand extraordinary loads (e.g., animals jumping)
- Special nylon bristles for fur cleaning and care
- Brush back made from 100% recycled material
- Stable spring suspension



 **Top Quality**

Ref. no.	Color	Brush length	Brush width		
29325	Blue/red	19.7 in / 50 cm	3.9 in / 10 cm	1	24

Ref. no.	Description	Length	Width		
29302	Spare Brush	19.7 in / 50 cm	3.9 in / 10 cm	1/2	200
29326	Top with spring without brush			1/2	24

Scratch Mat

- Made from natural rubber material
- Mobile and soft nubs provide optimal coat care without risk of skin irritation
- Rectangular shape with multiple mounting holes for stable mounting
- Multi-function applications such as flat on the wall or around pillars, posts, or corners
- Not suitable for adult cattle



32678



32689



Ref. no.	Color	Length	Width		
32678	Black	15.7 in / 40 cm	11.8 in / 30 cm	1/12	240
32689	Black	23.6 in / 60 cm	15.7 in / 40 cm	1/6	168

Scratch and Cleaning Mat KratzPad


The flexible mat for natural coat care - with no need for tools

Made in the EU



Simple, flexible and safe: the scratch and cleaning mat for horses and other animals with skin-protecting structure. With its flexible design, it can be easily installed on flat surfaces, around corners, on trees, or on posts.

- The special structure of the mat prevents wounds and scratches to the animal, even with constant rubbing.
- Easy to install in stables, on fences, on tree trunks, on posts, on walls, etc.
- Protects your infrastructure: the mat helps to prevent nibbled box doors, damaged fence posts, and nibbled tree bark.
- Made from durable polyethylene
- Not suitable for adult cattle



Easy mounting with screws or nails



Can also be used as a cleaning mat:

- Its resistance to chemicals means that the mat can also be used in boot disinfection baths for combined cleaning and disinfection

Ref. no.	Color	Length	Width		
3282838	Green	15.7 in / 40 cm	23.6 in / 60 cm	1/10	400
3282839	Green	21.7 in / 55 cm	35.4 in / 90 cm	1/10	120





Professional product advice

Looking for specific advice on our products?

If you have questions or need more detailed information, our specially trained product experts would be happy to help you whenever you need it. You can contact us by e-mail at cowcleaner@kerbl.com. For more information about our product ranges, please visit our website www.kerbl.com.





Made in Germany – Produced in Buchbach

High quality products from Kerbl



To ensure animal comfort, Kerbl relies on Made in Germany quality. All cow cleaning machines are developed and produced by Kerbl.



Albert Kerbl GmbH

Felizenzell 9
84428 Buchbach
Germany
Telephone +49 8086 933-100
Fax +49 8086 933-500
E-mail info@kerbl.com
www.kerbl.com

© 07/2024

We strive continuously to improve our range of products and to keep them up to date. We reserve the right to make design changes. The publication of this catalog renders all previous catalogs and prices lists for these products invalid.
All prices provided are the manufacturer's recommended retail prices and are inclusive of sales tax. All information is subject to typesetting and printing errors.
Price alterations and errors reserved.
Colors and designs may vary as a result of printing processes. Reprinting – even in part – is only permitted only with prior consent.