

# Scratch Brushes





## Top quality animal comfort

### improved animal health

Animals have the need to rub and scratch themselves. Cattle brushes are an important part of general hygiene and no modern cowshed should be without one. The animals clean themselves and get rid of lice, mites, and other parasites. The development of eczema or fungal infections is reduced or even generally prevented. When animals are healthy, then you have a calm, relaxed herd.

### Improved yield

Healthy and cared-for cattle and goats can achieve improved yields because the feeling of well-being is an important factor. The large-area brushing and massaging increases blood circulation in the skin, promotes heat dissipation and stimulates the metabolism. The stimulated blood circulation can increase milk yields and increase the frequency of „in-heat“ periods.

### Variety and occupation

The animals become calmer, their well-being increases through the use of a scratch brush, and they are also occupied. Undesirable animal behaviours, such as mutual suckling with calves, are also reduced.

### Easy assembly

Our electric cow cleaning machines are easy to install and nearly maintenance-free. Greasing at the pressure lubrication points and prompt replacement of brush rollers extend service life and attractiveness to animals. The devices are suitable for outside installation, e.g. under a projecting roof.

### Robust and effective

Not every cow brush achieves the same result. It should particularly be ensured that the brush can be operated by the animal easily, reaches as many body parts as possible, has a good cleaning effect, does not injure the animal, requires little maintenance, and works problem-free.

The importance of a robust and long-lasting design is demonstrated by the fact that, in a herd of 30 animals, each cow brushes herself for 10 minutes per day on average, and so a cow-cleaning machine operates for several hours every day.

### Smart and secure

Further important aspects in the selection of a suitable cow brush include safe, injury-free use and convenient operation. This is where the intelligent electronics of the HAPPYCOW brushes convince through error-free, low-maintenance operation. With their clearly visible display of the operating status, the controls provide a variable adjustment option of the brush running time (10 to 300 s). The changing direction of the brush after every activation ensures even wear of the brushes. The torque-operated safety shutdown stops the brush when it encounters too much resistance, thus ensuring safety in the cowshed.





## Installation location

So that your animals enjoy an optimum brushing experience, the installation location of the brushes should be selected with care. Select a location which has a lot of free space, so that other animals can get past the animals who are scratching themselves, and that low-ranking animals also get their brushing time. Ensure that dead-ends and dark corners are avoided, and position the brushes as far as possible from feeding and drinking areas, in order to prevent contamination from these.

Find the right brush type for your application:

| Brushes for Animals                   | The benefits   | suitable for   | Installation location   |
|---------------------------------------|--|--|---|
| HAPPYCOW Uno                          | installation on half-height wall possible                                    | adult cattle   | wall, half-height wall  |
| HAPPYCOW Duo                          | simultaneous brushing of back and flank                                      | adult cattle   | Wall  |
| HAPPYCOW MaxiSwing                    | accessible from all sides - large brush surface                              | adult cattle   | wall, pillar  |
| HAPPYCOW MidiSwing                    | accessible from all sides  | suitable for cattle older than 1 year and adult cattle       | wall, pillar  |
| HAPPYCOW MiniSwing                    | accessible from all sides  | Calves and goats   | wall, pillar  |
| HAPPYCOW Free Maxi                    | low-cost and low-maintenance   | Large animals  | wall, pillar  |
| HAPPYCOW FlexiSwing                   | low-cost and low-maintenance   | adult cattle, young animals and calves from 2 months, horses | wall, pillar  |
| Post Scrubber                         | Scratch Brush for Outdoor Use  | cattle, calves, goats, horses, etc.                          | for floor/ground installation on compacted surfaces or pasture land |
| HAPPYCOW Bully / Scratch Plate        | very robust construction, designed for bull fattening                        | Beef fattening   | Stabling, wall  |
| Cattle Brush Texas/Cattle Brush 29325 | low-cost and low-maintenance   | cattle, calves, goats, horses, etc.                          | wall, pillar  |
| Scratch Brush                         | good value and low maintenance - minimum space requirement - flexible in use | cattle, calves, horses, etc.                                 | wall, pillar, posts, edges, etc.                                    |
| Scratch Mats                          | good value and low maintenance - minimum space requirement - flexible in use | cattle, calves, goats, horses, etc.                          | wall, pillar, posts, edges, etc.                                    |







## Cattle Brush HAPPYCOW Duo

Through the extensive brushing, cleaning and massaging of the head, neck, back, torso and flank, the skin is better supplied with blood and the metabolism is stimulated. The 2-brush machine allows simultaneous cleaning of the flanks and the back.

- the cow cleaning machine is automatically activated by the animals slightly raising the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- permanent lubrication over the gears' entire service life
- intelligent electronics for fault-free and low-maintenance operation
- control with clearly visible display to indicate the operating status
- variable setting options for brush running time (10 - 300 s)
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised

| Technical data             | 18820        |
|----------------------------|--------------|
| Voltage                    | 230 V        |
| Mains frequency            | 50 Hz        |
| Power                      | 370 W        |
| Speed                      | 60 rpm       |
| Weight                     | 150 kg       |
| Protection class           | IP54         |
| length of horizontal brush | 550 mm       |
| Ø Horizontal Brush         | 285 - 420 mm |
| length of vertical brush   | 650 mm       |
| Ø Vertical Brush           | 275 - 315 mm |
| Bristle material           | Polyamide    |



| Ref. no. | Colour     | Width | Depth  | Height |  | €   |
|----------|------------|-------|--------|--------|---|---|
| 18820    | red / blue | 40 cm | 105 cm | 115 cm | 2   |  |

Made in Germany



a quality product developed and produced by Kerbl



| Ref. no. | Description            | Material  | suitable for                           |  |  | € |
|----------|------------------------|-----------|--|---|---|---|
| 18821    | Spare Brush horizontal | Polyamide | HAPPYCOW Duo, Kerbl; Schurr; Krazzmaxx | 1   | 24  |   |
| 18822    | Spare Brush vertical   | Polyamide | HAPPYCOW Duo, Kerbl; Krazzmaxx         | 1   | 36  |   |
| 18824    | Spare Brush vertical   | Polyamide | Schurr (> 2008)                        | 1   | 36  |   |



## Cattle Brush HAPPYCOW Uno

The back, tail and torso, but also the head, are brushed thanks to the diagonal, conical arrangement. The HAPPYCOW Uno can be mounted almost anywhere without an additional frame. The control is well protected in the machine housing.

- the cow cleaning machine is automatically activated by the animals slightly raising the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- control with clearly visible display to indicate the operating status
- variable setting options for brush running time (10 - 300 s)
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised

Made in Germany



a quality product developed and produced by Kerbl

Optional bounce frame



TV



18691/18692: Replacement Brush PP -  
18681: Replacement Brush PA

| Technical data   |              |
|------------------|--------------|
| Voltage          | 230 V        |
| Mains frequency  | 50 Hz        |
| Power            | 370 W        |
| Speed            | 46 rpm       |
| Weight           | 110 kg       |
| Protection class | IP56         |
| Brush length     | 840 mm       |
| Ø brush          | 270 - 500 mm |

| Ref. no. | Description      | Colour     | Width | Depth  | Height |  | € |
|----------|------------------|------------|-------|--------|--------|--|---|
| 18690    | with PP bristles | red / blue | 50 cm | 110 cm | 120 cm |  |   |
| 18680    | with PA bristles | red / blue | 50 cm | 110 cm | 120 cm |  |   |

| Ref. no. | Description   | Colour     | Material         |   |   | € |
|----------|---|------------|------------------|---|---|---|
| 18691    | Brush Kit Complete incl. 2 End Discs from 2004 model  | red / blue | Polypropylene    | 1 | 8 |   |
| 18681    | Brush Kit Complete incl. 2 End Discs from 2004 model  | red / blue | Polyamide        | 1 | 8 |   |
| 18692    | Brush Kit Complete incl. 2 End Discs up to 2003 model | red / blue | Polypropylene    | 1 | 8 |   |
| 18709    | Bounce frame HAPPYCOW                                 |            | galvanised metal | 1 |   |   |



## Cattle Brush HAPPYCOW MaxiSwing

The special arrangement of the brush in the vertical direction makes the cleaning of the coat at the torso and head easier. The brush is accessible from all sides and rotates in every direction and nearly every angle, so each part of the animal's body can be reached. Furthermore, there is no risk of jumping up as with horizontal brushes!

- the HAPPYCOW Swing series is automatically activated by the animals slightly deflecting the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- control with clearly visible display to indicate the operating status
- variable setting options for brush running time (10 - 300 s)
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised

Made in Germany



the new HAPPYCOW Swing series - developed and produced in-house by Kerbl


- The completely redesigned, patent-pending pendulum brush has a robust and maintenance-friendly construction, as well as newly designed control electronics.
- The special arrangement of brush, drive and joint unit creates an optimised contact pressure of the brush on the animal and thus ensures an efficient and comfortable brushing process.

|                  |               |
|------------------|---------------|
| Technical data   | 18860         |
| Voltage          | 230 V         |
| Mains frequency  | 50 - 60 Hz    |
| Power            | 550 W         |
| Speed            | 50 rpm        |
| Weight           | 105 kg        |
| Protection class | IP54          |
| Brush length     | 1.010 mm      |
| Ø brush          | 350 - 490 mm  |
| Bristle material | Polypropylene |

| Ref. no. | Colour     | Width | Depth  | Height |   | € |  |
|----------|------------|-------|--------|--------|---|---|--|
| 18860    | red / blue | 49 cm | 134 cm | 190 cm | 2 |   |  |



| Ref. no. | Description          | Colour     | suitable for |   | € |  |
|----------|----------------------|------------|--------------|---|---|--|
| 18881    | Spare Brush HAPPYCOW | red / blue | 18860, 18865 | 1 |   |  |



## Cattle Brush HAPPYCOW MidiSwing

Made in Germany



The vertical pendulum brush reaches almost any body part, head and rump especially are thoroughly cleaned. The HAPPYCOW MidiSwing scratch brush is suitable for cows from 1 year of age and adult cattle.

- the HAPPYCOW Swing series is automatically activated by the animals slightly deflecting the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- the changing direction of the brush after every activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised



a quality product developed and produced by Kerbl

|                  |               |
|------------------|---------------|
| Technical data   | 18850         |
| Voltage          | 230 V         |
| Mains frequency  | 50 - 60 Hz    |
| Power            | 180 W         |
| Speed            | 50 rpm        |
| Weight           | 65 kg         |
| Protection class | IP54          |
| Brush length     | 600 mm        |
| Ø brush          | 430 mm        |
| Bristle material | Polypropylene |

| Ref. no. | Colour     | Width   | Depth  | Height |  | €   |
|----------|------------|---------|--------|--------|---|---|
| 18850    | red / blue | 43,5 cm | 125 cm | 148 cm | 1   |  |

| Ref. no. | Description          | suitable for |  | € |
|----------|----------------------|--------------|---|---|
| 18851    | Spare Brush HAPPYCOW | 18850, 18660 | 1   |   |


# Cattle Brush HAPPYCOW MiniSwing

Made in Germany



The vertical pendulum brush reaches almost any body part, head and rump especially are thoroughly cleaned. The HAPPYCOW MiniSwing scratch brush is suitable for calves from 2 months of age and adult goats.

- the HAPPYCOW Swing series is automatically activated by the animals slightly deflecting the brush
- high-quality bristles ensure a long service life
- optimised brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- intelligent electronics for fault-free and low-maintenance operation
- the changing direction of the brush after ever activation ensures even wear of the brushes
- the torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- plug ready for connection to 230 V socket
- all steel parts are hot dip galvanised




a quality product developed and produced by Kerbl

|                  |            |
|------------------|------------|
| Technical data   | 18840      |
| Voltage          | 230 V      |
| Mains frequency  | 50 - 60 Hz |
| Power            | 120 W      |
| Speed            | 27 rpm     |
| Weight           | 40 kg      |
| Protection class | IP54       |
| Brush length     | 470 mm     |
| Ø brush          | 250 mm     |
| Bristle material | Polyamide  |

| Ref. no. | Colour     | Width | Depth  | Height |   | € |
|----------|------------|-------|--------|--------|---|---|
| 18840    | red / blue | 30 cm | 106 cm | 135 cm | 1 |   |


| Ref. no. | Description                    | suitable for |   | € |
|----------|--------------------------------|--------------|---|---|
| 18841    | Spare Brush HAPPYCOW MiniSwing | 18840        | 1 |   |



## MaxiSwing




suitable for fully-grown cattle



## MidiSwing



suitable for cattle older than 1 year and adult cattle



## MiniSwing



suitable for calves and goats



## Cattle Brush HAPPYCOW Free Maxi

The HAPPYCOW Free Maxi allows the animals to determine the cleaning and massage intensity themselves.

- vertical oscillating brush without power connection
- also ideal as play material
- suitable for indoor and outdoor use
- high-quality bristles ensure a long service life
- Very robust
- low-cost and low-maintenance
- hot-dip galvanised articulated suspension with plain bearing bushes

Made in Germany



a quality product developed and produced by Kerbl

|                  |               |
|------------------|---------------|
| Technical data   | 18865         |
| Weight           | 49 kg         |
| Brush length     | 1.010 mm      |
| Ø brush          | 350 - 500 mm  |
| Bristle material | Polypropylene |

| Ref. no. | Colour     | Width | Depth  | Height |   |   | € |
|----------|------------|-------|--------|--------|---|---|---|
| 18865    | red / blue | 49 cm | 120 cm | 150 cm | 1 | 2 |   |

| Ref. no. | Description          | Colour     | suitable for |   | € |
|----------|----------------------|------------|--------------|---|---|
| 18881    | Spare Brush HAPPYCOW | red / blue | 18860, 18865 | 1 |   |


## Scratch Brush HAPPYCOW FlexiSwing

HAPPYCOW FlexiSwing is the easy and price-conscious solution for increasing the wellbeing of cattle and horses. The cow brush can be easily installed outdoors or indoors and offers animals both an opportunity to scratch and keep themselves busy.

- vertical oscillating brush without power connection
- allows the animals to determine the cleaning and massage intensity themselves
- ideal counterpressure for different animal species and sizes thanks to the robust spring suspension
- suitable for indoor and outdoor use
- high-quality bristles and hot-dip galvanised steel parts guarantee a long service life
- low-cost, low-maintenance alternative to electric scratching brushes
- easy assembly
- Supplied in three packs


Included in delivery: 1 x brush unit, 1 x spring, 1 x mounting arm, 1 x instruction manual

|                  |               |
|------------------|---------------|
| Technical data   |               |
| Weight           | 42 kg         |
| Brush length     | 750 mm        |
| Ø brush          | 300 - 435 mm  |
| Bristle material | Polypropylene |




New product

NEW



| Ref. no. | Colour     | Depth    | Height |   | € |
|----------|------------|----------|--------|---|---|
| 18670    | red / blue | 101,5 cm | 151 cm | 1 |   |

| Ref. no. | Description                     | Material     | suitable for |   | € |
|----------|---------------------------------|--------------|--------------|---|---|
| 18670-1  | Spring for HAPPYCOW             | Spring Steel | 18670        | 1 |   |
| 18671    | Spare Brush HAPPYCOW FlexiSwing |              | 18670        | 1 |   |



## Post Scrubber HAPPYCOW

Made in Germany




- Scratch Brush for Outdoor Use
- available in 2 sizes (Maxi and Mini)
- for floor/ground installation on compacted surfaces or pasture land
- robust, hot-dip galvanised metal structure
- high-quality, resistant bristles
- 19 Brush Rings (Maxi) or Brush Rolls (Mini), both replaceable

18650: Base anchor set for pasture Installation optionally available



| Technical data   |               |
|------------------|---------------|
| Brush length     | 1.000 mm      |
| Ø brush          | 500 mm        |
| Bristle material | Polypropylene |




| Ref. no. | Description | Colour     | Height |   |   | € |
|----------|-------------|------------|--------|---|---|---|
| 18650    | Maxi        | red / blue | 163 cm | 1 | 2 |   |
| 18660    | Mini        | red / blue | 100 cm | 1 | 2 |   |

| Ref. no. | Description                            | Colour     | Material         | suitable for | MOQ    | Pieces / unit |   | € |
|----------|--|------------|------------------|--------------|--------|---------------|---|---|
| 18851    | Spare Brush HAPPYCOW                   | red / blue |                  | 18850, 18660 |        | 1             |   |   |
| 18652    | base anchor set for post scrubber Maxi |            | galvanised metal | 18650        |        | 1             |   |   |
| 18651-2  | Brush Rings for Post Scrubber Maxi     | blue       |                  | 18650        | 1 pack | 8 / pack      | 1 |   |
| 18651-3  | Brush Rings for Post Scrubber Maxi     | red        |                  | 18650        | 1 pack | 11 / pack     | 1 |   |

## Scratch Brush HAPPYCOW Bully

- allows breed-specific scrubbing of head and body sides
- very robust construction made of hot-dip galvanised steel, designed for bull fattening
- flexible mounting on stalls or walls
- height-adjustable and flexible mounting, thanks to integrated slotted holes
- high-quality, resistant bristles
- replaceable brush bars
- brush back made from 100 % recycling material
- suitable for Cattle Feed Animal Well-Being initiative
- mounting set for stalls optionally available

Made in Germany



| Ref. no. | Colour     | Width | Height | Bristle material |   |    | € |
|----------|------------|-------|--------|------------------|---|----|---|
| 293130   | red / blue | 30 cm | 90 cm  | Polyamide        | 1 | 10 |   |


| Ref. no. | Description                               | Colour     | Material                 | Width | Height |     | € |
|----------|---|------------|--------------------------|-------|--------|-----|---|
| 293130-2 | Brush for Scratching Brush HAPPYCOW Bully | red / blue |                          | 15 cm | 90 cm  | 1   |   |
| 293151   | Stabling mounting kit 2"                  |            | hot-dip galvanised metal |       |        | 1/6 |   |
| 293152   | Stabling mounting kit 2 1/2"              |            | hot-dip galvanised metal |       |        | 1/6 |   |

## Scratch Plate

- for coat care
- simple and inexpensive
- very robust construction made of hot-dip galvanised steel, designed for bull fattening
- durable and easy care
- scratching surface 90 x 30 cm
- flexible mounting on stalls or walls
- height-adjustable and flexible mounting, thanks to integrated slotted holes
- mounting set for stalls optionally available
- suitable for Cattle Feed Animal Well-Being initiative

New product

NEW



293151

| Ref. no. | Width | Height | Depth |   |    | € |
|----------|-------|--------|-------|---|----|---|
| 293150   | 43 cm | 90 cm  | 4 cm  | 1 | 50 |   |


| Ref. no. | Description                  | Material                 |     | € |
|----------|------------------------------|--------------------------|-----|---|
| 293151   | Stabling mounting kit 2"     | hot-dip galvanised metal | 1/6 |   |
| 293152   | Stabling mounting kit 2 1/2" | hot-dip galvanised metal | 1/6 |   |



## Scratch Brush

- ensures ideal fur cleaning and care
- head and throat in particular can be cleaned
- suitable for cattle and calves, horses, etc.
- various mounting options (walls, corners, stables, posts)

Made in Germany




| Ref. no. | Colour     | Width | Height | Depth | Bristle material | Bristle length |   |     | € |
|----------|------------|-------|--------|-------|------------------|----------------|---|-----|---|
| 293100   | red / blue | 22 cm | 50 cm  | 9 cm  | Polyamide        | 5 cm           | 1 | 100 |   |



## Scratch Brush XL

- allows breed-specific scrubbing of head and body sides
- ensures ideal fur cleaning and care
- suitable for cattle and calves, horses, etc.
- various mounting options (walls, corners, stables, posts)

Made in Germany







| Ref. no. | Colour     | Width | Height | Depth | Bristle material | Bristle length |   | € |
|----------|------------|-------|--------|-------|------------------|----------------|---|---|
| 293105   | red / blue | 32 cm | 50 cm  | 11 cm | Polyamide        | 6 cm           | 1 |   |

## Cattle Brush Texas

- stable design with built-in spring
- Horizontal brush movable in all directions






| Ref. no. | Brush length | Brush width |  |  | € |
|----------|--------------|-------------|---|---|---|
| 29310    | 50 cm        | 10 cm       | 1   | 24  |   |



| Ref. no. | Description                   | Length | Width |  |  | € |
|----------|-------------------------------|--------|-------|---|---|---|
| 29305    | Spare Brush                   | 50 cm  | 10 cm | 1/2   | 200   |   |
| 6033     | Spring for Texas Cattle Brush | 35 cm  |       | 1   | 180   |   |

## Cattle Brush

- complete with spring
- the especially robust design of this brush ensures a high level of user comfort
- animals of various sizes can properly scrub themselves
- the enormous flexibility even stands up to extraordinary loads (e.g. jumping animals)
- special Nylon bristles for fur cleaning and care
- brush back made from 100 % recycling material
- stable spring suspension



| Ref. no. | Colour     | Brush length | Brush width |  |  | € |
|----------|------------|--------------|-------------|---|---|---|
| 29325    | blue / red | 50 cm        | 10 cm       | 1   | 24  |   |

| Ref. no. | Description                   | Length | Width |  |  | € |
|----------|-------------------------------|--------|-------|---|---|---|
| 29302    | Spare Brush                   | 50 cm  | 10 cm | 1/2   | 200   |   |
| 29326    | Top with spring without brush |        |       | 1/2   | 24  |   |

## Scratch Mat

- made from natural rubber material
- mobile and soft nubs provide optimum coat care without risk of skin irritation
- rectangular shape with many mounting holes for stable mounting
- multi-functional applications such as flat on the wall or around pillars, posts or corners
- not suitable for adult cattle





32678



32689



| Ref. no. | Colour | Length | Width |  |  | € |
|----------|--------|--------|-------|---|---|---|
| 32678    | black  | 40 cm  | 30 cm | 1/12  | 240   |   |
| 32689    | black  | 60 cm  | 40 cm | 1/6   | 168   |   |

## Scratch and Cleaning Mat KratzPad


the flexible mat for natural coat care - without any tools

Made in the EU



Simple, flexible and safe: the scratch and cleaning mat for horses and other animals with the skin-protecting structure. Thanks to its flexible design, can be easily installed on flat surfaces, over corners or on trees or posts.

- the mat's special structure prevents wounds and scratches to the animal, even with constant rubbing
- easy to install in stables, on fences, on tree trunks, on posts, on walls, etc.
- protects your infrastructure: nibbled box doors, damaged fence posts or nibbled tree bark can be easily avoided with the mat
- made from durable polyethylene
- not suitable for adult cattle





easy mounting with screws or nails



Can also be used as a cleaning mat:

- its resistance to chemicals means that the mat can also be used in boot disinfection baths for combined cleaning and disinfection

| Ref. no. | Colour | Length | Width |  |  | € |
|----------|--------|--------|-------|---|---|---|
| 3282838  | green  | 40 cm  | 60 cm | 1/10  | 400   |   |
| 3282839  | green  | 55 cm  | 90 cm | 1/10  | 120   |   |





## Professional product advice

### Do you require specific advice on our products?

If you have questions or require more detailed information, our specially trained product experts look forward to helping you at any time. Contact us by phone at +49 8086 933 - 322 or by e-mail at [kuhputzmaschine@kerbl.com](mailto:kuhputzmaschine@kerbl.com). For more information about the various product areas, please go to our website [www.kerbl.de](http://www.kerbl.de).




# Made in Germany – Produced in Buchbach

## Quality products from Kerbl



To ensure animal comfort, Kerbl relies on Made in Germany quality: All cow cleaning machines are developed and produced by Kerbl.



### Albert Kerbl GmbH

Felizenzell 9  
84428 Buchbach  
Germany  
Telefon +49 8086 933-100  
Telefax +49 8086 933-500  
E-Mail [info@kerbl.de](mailto:info@kerbl.de)  
[www.kerbl.de](http://www.kerbl.de)

© 02/2024

We are constantly striving to improve our stock of products and keep them right up to date. We reserve the right to make design changes. The publication of this catalogue renders all previous catalogues and prices lists for these products invalid. All prices provided are the manufacturer's recommended retail prices and are inclusive of VAT. All information is subject to typesetting and printing errors. Price alterations and errors reserved. Colours and designs may vary due to printing processes. Reprinting – even just of extracts – is only permitted only with prior consent.