

Calf Accommodation



Suitable in accordance with animal welfare regulations

National regulations specify how long calves can be kept in which minimum areas. Our calf houses and boxes, as well as our modular fence stabling, comply with these specifications and are perfectly designed to meet the requirements of calf rearing.

Modular Calf Box

The new modular calf boxes from Kerbl give you maximum flexibility and efficiency of labour. The boxes can be stacked free-standing or attached to a wall. The panels are quickly and easily set up by a single person, and can be combined into one or more boxes. You can start with individual pens, and easily create small groups by removing the side walls between adjacent boxes. Dismantling and cleaning are just as quick as they are easy. The handles on the panels are large enough to fit onto pallet forks. The panel surfaces are easy to clean. The new unique stacking system allows space-saving sorting and storage of the panels, including the door element.

- stable, hot dip-galvanised metal frame
- robust plastic with stiffening ribs
- easy-to-clean walls with smooth surface
- social contact opening in the area of the side walls allows the calf contact with other calves
- front element with swivel-mounted revolving door and fixed drinking area, perfect for teaching calves to suckle
- includes a watering bucket mounting bracket and two foldable bucket brackets
- Feeding places can be individually blocked
- carrying handle for manual transport
- Can be transported with pallet forks
- single-handed unlocking
- new unique stacking system
- Bucket not included



14626 Scope of delivery:

- 1 x Front Element, Door (14620)
- 2 x Side Wall (14621)
- 1 x Back Wall (14622)
- 4 x Locking Rod (14624)

14627 Scope of delivery:

- 1 x Front Element, Door (14620)
- 2 x Side Wall (14621)
- 4 x Locking Rod (14624)
- 2 x Wall Mounting Accessory (14625)

14628 Scope of delivery:

- 2 x Front Element, Door (14620)
- 3 x Side Wall (14621)
- 2 x Back Wall (14622)
- 2 x Stabilising Aid, Group Box (14623)
- 6 x Locking Rod (14624)

14629 Scope of delivery:

- 2 x Front Element, Door (14620)
- 3 x Side Wall (14621)
- 1 x Stabilising Aid, Group Box (14623)
- 5 x Locking Rod (14624)
- 3 x Wall Mounting Accessory (14625)

14630 Scope of delivery:

- 1 x Front Element, Door (14620)
- 1 x Side Wall (14621)
- 1 x Back Wall (14622)
- 2 x Stabilising Aid, Group Box (14623)
- 2 x Locking Rod (14624)

14631 Scope of delivery:

- 1 x Front Element, Door (14620)
- 1 x Side Wall (14621)
- 2 x Stabilising Aid, Group Box (14623)
- 2 x Locking Rod (14624)
- 1 x Wall Mounting Accessory (14625)





Example for mounting

Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de

Local animal protection regulations must be observed!
Please note separate freight costs.

Ref. no.	Description	Material		€
14626	Single Bay, Free Standing	galvanised metal / Plastic	1	
14627	Single Bay, Wall-Standing	galvanised metal / Plastic	1	
14628	Twin Bay, Free Standing	galvanised metal / Plastic	1	
14629	Twin Bay, Wall-Standing	galvanised metal / Plastic	1	
14630	Single-Bay Extension, Free Standing	galvanised metal / Plastic	1	
14631	Single-Bay Extension, Wall-Standing	galvanised metal / Plastic	1	

Ref. no.	Description	Material		€
14620	Modular Calf Box Front Element, Door	galvanised metal	1	
14621	Modular Calf Box Side Wall	Plastic	1	
14622	Modular Calf Box Rear Wall	Plastic	1	
14623	Modular Calf Box Stabilisation Aid for Group Box	galvanised metal	1/10	
14624	Modular Calf Box Locking Rod	galvanised metal	1/10	
14625	Modular Calf Box Wall mounting accessory	galvanised metal	1/10	

Calf Box Premium with Swivel Floor

Thanks to the swivel floor, the Calf Box Premium can be quickly mucked out and conveniently cleaned. Lowering the front loader automatically locks the folding floor. The two-part door is ideal for teaching calves to use the feeding pail. The farmer can leave the box without disturbing the calf as it drinks. The calf box ensures that the calf enjoys plenty of fresh air, but is not exposed to any draughts. It is also protected from harmful pathogenic bacteria. The animal does not lie directly on the floor in the calf box, but rather on the raised grille. This keeps the calf warmer and dryer.

- stable, hot dip-galvanised metal frame
- GRP base grille (two-part) offering excellent grip and anti-slip properties
- easy-to-clean side walls made from PVC panels with smooth surface
- social contact opening in the area of the side walls allows the calf contact with other calves
- two-part, revolving door which opens in both directions
- includes a watering bucket mounting bracket and two foldable bucket brackets
- the folding handles on the front make moving the box exceptionally easy
- transport device optionally available
- Can be transported with pallet forks
- Bucket not included
- Comes disassembled




Local animal protection regulations must be observed!
Please note separate freight costs.

Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de



Technical data	
External hut dimensions	173,5 cm x 112 cm x 143 cm
House inner dimensions	163 x 103 x 118,5 cm
Weight	143 kg

Ref. no.	Description		€
14616	Calf Box Premium with Swivel Floor	1	



 **Top Seller**



Calf box

The calf box ensures that the calf enjoys plenty of fresh air, but is not exposed to any draughts. It is also protected from harmful pathogenic bacteria. The animal does not lie directly on the floor in the calf box, but rather on the raised grille. This keeps the calf warmer and dryer. The calf box is available in two sizes.

- stable, hot dip-galvanised metal frame
- GRP base grille (two-part) offering excellent grip and anti-slip properties
- easy-to-clean side walls made from PVC panels with smooth surface
- the open gap in the upper area of the side walls allows the calf to have visual contact with its neighbours
- revolving door which opens in both directions
- includes a watering bucket mounting bracket and two foldable bucket brackets
- Feeding places can be individually blocked
- folding handle on the front make moving it exceptionally easy
- transport device optionally available
- Can be transported with pallet forks
- roof optionally available
- Bucket not included
- Comes disassembled





Suitable in accordance with animal welfare regulations:


Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de

Technical data	14610	14611
External hut dimensions	173 cm x 93 cm x 131 cm	201 cm x 107 cm x 131 cm
House inner dimensions	130 x 85 x 106 cm	160 x 100 x 106 cm
Weight	121 kg	160 kg







outer dimensions incl. unfolded bucket holder



Ref. no.	Description			€
14610	Calf box small	1	6	
14611	Calf box large	1	6	




TV

Ref. no.	Description	Length	Width	Height	Weight			€
14612	Roof for Calf Box small	153 cm	98 cm	3,5 cm	22 kg	1	24	
14613	Roof for Calf Box large	180 cm	120 cm	3,5 cm	25 kg	1	25	
14609	Transport Device for Calf Box					1	50	
14610-1	GRP Floor Trivet for Calf Box small (two part)	130 cm	85 cm	2,5 cm	15,6 kg	1		
14611-1	GRP Floor Trivet for Calf Box large (two part)	160 cm	100 cm	2,5 cm	22 kg	1		
14611-2	PVC Panel Calf Box for side wall	165 cm	3 cm	25 cm		1		
14611-3	PVC Panel Calf Box for rear wall	97 cm	3 cm	25 cm		1		


Local animal protection regulations must be observed!
Please note separate freight costs.


Extension Set Double Calf Box for 14611

- extension set for converting two calf boxes (14611) into one double box
- robust extension, easy to move by hand or front loader
- flexible, easy conversion back to two single boxes



Scope of delivery




Ref. no.		€
14614	1	

Double Calf Box

- two complete calf boxes (14611) incl. expansion set (14614)
- robust extension, easy to move by hand or front loader
- flexible, easy conversion between double and single boxes



Ref. no.	Description		€
14615	Double Calf Box	1	

Kerbl CalfHouse

The ideal home for calves



Calf houses combine all the advantages to give calves the best possible start. The houses offer protection from all kinds of weather at all times of the year. At the same time, air circulation is promoted by the rising roof slopes and ventilation openings, which reduces germ pressure and creates the best possible micro-climate. The run offers outdoor climate stimuli and expands the generous space. **Calf houses from Kerbl are therefore also suitable for use in organic livestock farming without any restrictions!**

In science and practice, calf houses are considered the best housing system, both during individual and group housing.

protected and spacious

optimal climate – both in summer and winter


- high insulation and UV protection due to high-quality materials
- promotion of air circulation through the shape of the house and removal of moist warm air
- white surfaces prevent heating up

animal-friendly design

- large amount of space
- fence with minimal spacing between the vertical struts and side guards to prevent injuries
- smooth interior surfaces prevent licking of material fibres, facilitate cleaning and thus significantly improve hygienic conditions

Robustness

- high-quality materials ensure breakage safety and impact resistance as well as a long service life for the calf house
- uniform wall thickness and side stability arches increase static stability and also offer additional torsional stiffness
- robust, hot-dip galvanised fencing
- side guards provide the fencing with additional stability



Comfort for humans and animals

Practical, convenient and multi-functional

- Fencing can be folded over the calf house to clean the forecourt
- The revolving door can optionally also be placed in the calf house entrance to lock the calf in
- Calf house can be moved forward into the fence for scattering litter, cleaning and moving
- Large solid rubber tyres with needle bearing enable easy moving even with difficult ground conditions
- Handle for easier lifting of the house
- Threshold at the house entrance stops litter getting out
- Floor-level threshold at the fence enables unobstructed entrance for people and animals
- Side guards stop calves from slipping through and lend additional stability



Multifunctional revolving doors:

- Flex rail (a) with drinking bucket and bucket safety catch (b), 2 feed openings (c), with hinged bucket holders for feed buckets
- The high position of the feed bucket promotes the natural stretching of the neck, so that the milk can pass directly into the abomasum.
- The bucket's inclined position ensures it is fully emptied
- Flex rail for variable mounting of the bucket holder and the optional dry feed bottle holder

Lightweight or heavy fence

The fencing is available in a lightweight design for all single-calf houses. The reduced weight makes it easier to lift the fence and to reposition the house integrated in the fence, while also offering a high degree of stability.

In the case of the CalfHouse Premium Plus, CalfHouse Master Plus and CalfHouse PE UV+, the fencing can also be supplied in a heavyweight design. It is extremely robust and its increased weight offers even greater static stability.



Heavyweight fencing with increased material thickness (approx. 45 kg)



Lightweight fencing (approx. 30 kg)

The images shown are exemplary and may vary depending on the design.



CalfHouse PE UV+

High stability and durability are ensured because it is made from high-quality, impact-resistant HDPE plastic with integrated UV stabilisers. The hut entrance threshold, reinforced with steel tubes, ensures a high level of stability. Optimal climate control of the Calf House is achieved via the adjustable ventilation flap that can be fixed at all levels. This also makes it easy to fill the Hay Rack. The especially smooth interior surfaces make cleaning child's play and thus improves hygiene.

- increasing roof slope with ventilation openings ensure optimum air circulation so that humid air can heat escape at the top
- pure white surfaces prevent overheating of the interior space
- additional UV stabilisers prevent the calf house heating excessively and reduce the natural degeneration of the material
- Bucket, feed box and hay rack not included



Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de

Technical data	14565	14566	14570
House material	polyethylene	polyethylene	polyethylene
External hut dimensions	205 cm x 115 cm x 135 cm	205 cm x 115 cm x 135 cm	205 cm x 115 cm x 135 cm
Fencing dimensions		150 x 110 x 96 cm	150 x 110 x 96 cm
Fencing weight		approx. 30 kg	approx. 45 kg

Ref. no.	Description			€	
14565	CalfHouse PE UV+ without fencing	1	17		
14566	CalfHouse PE UV+ with light fencing	1	4		
14570	CalfHouse PE UV+ with heavy fencing	1	4		

Ref. no.	Description	Material	Length	Width	Height	Weight			€	
145620	Fence lightweight for CalfHouse PE UV+	galvanised metal	150 cm	110 cm	96 cm	30 kg	1	24		
14572	Fence heavyweight for CalfHouse PE UV+	galvanised metal	150 cm	110 cm	96 cm	45 kg	1	22		
14568	Door and Tyre Set for CalfHouse PE UV+					13 kg	1	34		
14567	threshold Retrofit Kit	metal	98 cm	2,5 cm	17 cm	2,2 kg	1	200		
3230	Hay Rack small model	galvanised metal	56 cm	29,5 cm	23 cm		1	78		

Local animal protection regulations must be observed!
Please note separate freight costs.



CalfHouse Premium Plus

More space! More stability!







This Calf House, increased in both length and height, offers the calf improved protection from the weather and gives farmers more space when handling the calf. The CalfHouse Premium Plus is built using special fibreglass material with a very high surface mass. This gives it excellent resistance against tears and impacts. The wall construction is also additionally reinforced in all edge areas and in the corners of the calf house. The easy-to-clean plastic barrier improves hygiene. This Calf House also has an optimal ventilation system that regulates the climate in the house without any draughts. Bucket not included






Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de



Technical data	
House material	GFK
External hut dimensions	210 cm x 115 cm x 145,5 cm

Ref. no.	Description			€	
14581	CalfHouse Premium Plus without fencing	1	10		
14580	CalfHouse Premium Plus with light fencing	1	4		
14585	CalfHouse Premium Plus with heavy fencing	1	4		

Ref. no.	Description	Material	Length	Width	Height	Weight			€	
144720	Fence lightweight for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	30 kg	1	24		
144322	Fence heavy for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	45 kg	1	22		
14304	threshold	Plastic	100 cm	2,3 cm	14,5 cm	4 kg	1	168		

Local animal protection regulations must be observed!
Please note separate freight costs.



CalfHouse Master Plus







The CalfHouse Master Plus, which has proven itself over 10,000 times, profits from our skill and many years of experience in the design of high quality Calf Houses, and unifies all the proven features of the CalfHouse series regarding stability, comfort and animal well-being – at an excellent price/performance ratio. With its generous dimensions, the CalfHouse Master Plus, made from glass fibre reinforced plastic offers the calf protection from the weather and free space for handling by the farmer. This Calf House also has an optimal ventilation system that regulates the climate in the house without any draughts.






- Bucket and feed box not included

Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de

Technical data	14301	14470	14485
House material	GFK	GFK	GFK
External hut dimensions	200 cm x 115 cm x 135 cm	200 cm x 115 cm x 135 cm	200 cm x 115 cm x 135 cm
Fencing dimensions		150 x 110 x 96 cm	150 x 110 x 96 cm
Fencing weight		approx. 30 kg	approx. 45 kg

Ref. no.	Description			€	
14301	CalfHouse Master Plus without fencing	1	12		
14470	CalfHouse Master Plus with light fencing	1	4		
14485	CalfHouse Master Plus with heavy fencing	1	4		

Ref. no.	Description	Material	Length	Width	Height	Weight			€	
144720	Fence lightweight for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	30 kg	1	24		
144322	Fence heavy for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	45 kg	1	22		
14304	threshold	Plastic	100 cm	2,3 cm	14,5 cm	4 kg	1	168		
14302	threshold	Larch	100 cm	2,3 cm	14,5 cm	1,8 g	1	168		

Local animal protection regulations must be observed!
Please note separate freight costs.



CalfHouse Premium XL

The multi-animal Calf House made from glass fibre reinforced plastic offers space for up to 5 calves (local animal protection regulations must be observed). A sliding window is placed at the back to make animal control and filling the optional hay rack, among other things, easier. The additional reinforcing frame around the Calf House ensures the highest stability. The Calf House with fence provides optimum oversight and makes animal control easier.

- Feeding places can be individually blocked
- Side grilles can easily be swung back against the cabin walls
- easy access via large entrance door, even a calf transporter fits through the door
- pre-drilled holes on runners for straw catching and floor securing
- House and fencing easy to transport with a tractor
- Feeding bucket and long feeder troughs not included

Catch grille:

- with 5 feeding places
- with catch system: individual and complete locking possible
- lockable, fold-up drinking bucket holder, also length and height-adjustable
- adjustable feeding place width
- incl. trough holder
- catch grille width information: with drinking bucket holder, max. length

14520: Included: Hut incl. reinforcing frames and fencing, eyebolts, wooden sleeper, drinking bucket holder and two trough holders for long feed troughs (item no. 3268).

Versatile and robust



Side and catch grilles can be arranged as required



The reinforcing frame gives the house additional stability



Catch grille can be hung back on the house



House and fencing easy to transport with a tractor




Optional feeding space separation



The optional canopy provides protection against weather and sun

Twin set, CalfHouse Premium XL with fence (item no. 14530)

- Also available as a twin set for up to 10 calves
- Tip: With an additional fence component, the twin set can quickly and easily be divided into two bays.



Dimensions per pen

Technical data	14520	14518	14530
House material	GFK	GFK	GFK
External hut dimensions	238 cm x 223 cm x 189 cm	238 cm x 223 cm x 189 cm	238 cm x 223 cm x 189 cm
Fencing dimensions	209 x 221 x 120 cm		209 x 447 x 120 cm

Ref. no.	Description			€
14520	CalfHouse Premium XL with fencing	1		
14518	CalfHouse Premium XL single	1	4	
14530	CalfHouse Premium XL with fencing – 2-piece set	1		

Ref. no.	Description	Material	Length	Width	Height	MOQ	Pieces / unit			€
14466	Canopy	polyester, PVC-coated	300 cm	270 cm			1	1		
14524	Reinforcing Frame	galvanised metal					1	1		
14526	Trough Holder for Long Feed Trough	galvanised metal	82 cm	13,5 cm	18 cm		1	200		
14527	holder for concentrate bucket 5 feeding places	galvanised metal	184 cm	42 cm	20 cm		1	36		
14529	Tread Protection Set						1			
14528	Feeding place separator	galvanised metal	37,5 cm	14 cm	55,2 cm	1 pack	2 / pack	1	50	
14458	threshold	Larch	203 cm	3,5 cm	19 cm		1	52		
14454	Hay Rack	galvanised metal	113 cm	41 cm	38 cm		1	50		
14522	Fence for CalfHouse Premium XL	galvanised metal					1			

CalfHouse Premium XL

- with catch system: individual and complete locking possible
- Feeding places can be individually blocked
- Lockable, fold-up drinking bucket holder, also length and height-adjustable
- Adjustable feeding place width

To prevent calves from stepping in the gap between the house and the catch grille while drinking, the optional kit plate set item no. 14529 can be retrofitted.



Technical data	
House material	GFK
External hut dimensions	238 cm x 223 cm x 189 cm



Ref. no.	Description		€
14539	Group calf house with catching grid Calf-House Premium XL	1	



TV

CalfHouse Premium XXL

The large-area Calf House made from glass fibre reinforced plastic offers space for up to 7 calves (local animal protection regulations must be observed). The additional reinforcing frame around the Calf House ensures the highest stability for even large animals. The swivelling ventilation slots control the air circulation in the back area of the Calf House. A sling bar is attached at the house roof ridge to enable easy lifting and transporting. The Calf House with fence provides optimum oversight and makes animal control easier.

- Feeding places can be individually blocked
- Side grilles can easily be swung back against the cabin walls
- easy access via large entrance door, even a calf transporter fits through the door
- pre-drilled holes on runners for straw catching and floor securing
- House and fencing easy to transport with a tractor
- Feeding bucket and long feeder troughs not included

Catch grille:

- with 7 feeding places
- with catch system: individual and complete locking possible
- lockable, fold-up drinking bucket holder, also length and height-adjustable
- adjustable feeding place width
- incl. trough holder
- catch grille width information: with drinking bucket holder, max. length

14540: Included: Hut incl. reinforcing frames and fencing, sling bars, wooden sleeper, drinking bucket holder and four trough holders for long feed troughs (item no. 3268).


Versatile and robust



Side and catch grilles can be arranged as required



The reinforcing frame gives the house additional stability



Catch grille can be hung back on the house



House and fencing easy to transport with a tractor



Optional feeding space separation



Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.de




Local animal protection regulations must be observed!
Please note separate freight costs.
A front-loader with forklift will be required for unloading!

Technical data	14540	14519
House material	GFK	GFK
External hut dimensions	340 cm x 296 cm x 204 cm	340 cm x 296 cm x 204 cm
Fencing dimensions	280 x 299 x 120 cm	

Ref. no.	Description		€
14540	CalfHouse Premium XXL with fencing	1	
14519	CalfHouse Premium XXL single	1	

Ref. no.	Description	Material	Length	Width	Height	suitable for	MOQ	Pieces / unit			€
14546	Fence for CalfHouse Premium XXL	galvanised metal						1			
14526	Trough Holder for Long Feed Trough	galvanised metal	82 cm	13,5 cm	18 cm			1	200		
14549	Tread Protection Set							1			
14528	Feeding place separator	galvanised metal	37,5 cm	14 cm	55,2 cm		1 pack	2 / pack	1	50	
14547	holder for concentrate bucket 7 feeding places	galvanised metal	260 cm	42 cm	20 cm	14540		1	200		NEW

Calf house



Modular fence stabling

flexible accommodation for calves – creation of (small) groups is simple and cheap

Modular fence stabling gives you the option of housing your calves at low cost in small or larger groups. Roofed areas, halls, or stalls are outstandingly suitable locations. You know the functionalities from the Premium XL and XXL large hutches.

• Kerbl offers four preconfigured sets, for 3, 5, 6, and 10 calves (1.7 m² per animal from 220 kg live weight)* • Bucket and long feeder trays not included.







14486 Includes: 2 x 14495 (wall bracket), 1 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 1 x 14493 (5-pce safety grille)

14487 Includes: 2 x 14495 (wall bracket), 1 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 1 x 14498 (7-pce safety grille)

14488 Includes: 3 x 14495 (wall bracket), 2 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 2 x 14493 (5-pce safety grille)

14489 Includes: 3 x 14495 (wall bracket), 2 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 2 x 14498 (7-pce safety grille)

Local animal protection regulations must be observed!
Please note separate freight costs.
A front-loader with forklift will be required for unloading!

Ref. no.	Description	Material		€	
14486	Single Set for 3-pce Calf Group	galvanised metal	1		
14487	Single Set for 5-pce Calf Group	galvanised metal	1		
14488	Twin Pack for 2 x 3-pce Calf Group	galvanised metal	1		
14489	Twin Pack for 2 x 5-pce Calf Group	galvanised metal	1		




Sample configuration

You also have the option to configure the accommodation for your stock yourself. Select the components from the table below, and order your desired combination. For this, please comply with the legal requirements* in your region.



Corner solution, narrow: 2 x 14495 (wall bracket), 1 x 14491 (fence part with gate, short), 1 x 14498 (catch grille for 7 feeding places)



Corner solution, wide: 2 x 14495 (wall bracket), 1 x 14496 (fence part with gate, long), 1 x 14498 (catch grille for 7 feeding places)

Optional accessory:

14526 trough holder for long feed trough: suitable for 14493, 14498, 14491, 14496

14527 bracket for 5 feed buckets: suitable for 14493

14547 bracket for 7 feed buckets: suitable for 14498

14528 Feeding Place Separator: suitable for 14493, 14498, 14491, 14496



14526 Holder for Long Feed Trough



14527 Bracket for 5 feed buckets












14528 Feeding Place Separator



14495 Wall Bracket

* Sample calculation based on the legal requirement of 1.7 m² per animal, from a weight of 220 kg and upwards (German Order on the protection of animals and the keeping of production animals – TierSchNutzTV). Your responsible veterinary inspection office can provide further information.

Ref. no.	Description	Material	Length	Width	Height	MOQ	Pieces / unit		€
14495	Wall Mount	galvanised metal	70 cm	12,6 cm	9 cm			1	
14493	Catch grille 5 feeding places	galvanised metal	213 cm	52 cm	120 cm				
14498	Catch grille 7 feeding places	galvanised metal	285 cm	52 cm	120 cm				
14491	Fence Part with Door with 3 feeding places	galvanised metal	215 cm	3 cm	120 cm				
14496	Fence Part with Door with 6 feeding places	galvanised metal	285 cm	3 cm	120 cm				
14492	Fence Part Grille short	galvanised metal	215 cm	3 cm	120 cm				
14497	Fence Part Grille long	galvanised metal	285 cm	3 cm	120 cm				
14526	Trough Holder for Long Feed Trough	galvanised metal	82 cm	13,5 cm	18 cm			1	
14527	holder for concentrate bucket 5 feeding places	galvanised metal	184 cm	42 cm	20 cm			1	
14547	holder for concentrate bucket 7 feeding places	galvanised metal	260 cm	42 cm	20 cm			1	
14528	Feeding place separator	galvanised metal	37,5 cm	14 cm	55,2 cm	1 pack	2 / pack	1	

Combo Feed Box Small

With galvanised rack inlay for the combined feeding of concentrated feed and hay. Ideal for calves switching from wet to dry feed.

- suitable for all individual calf houses • can be hung on the inside of the fence • can easily be filled from the outside • cover protects contents from the rain • sturdy plastic container



Ref. no.	Colour	Width	Depth	Height	Capacity			€
144352	green	330 mm	512 mm	270 mm	11,5 L	1	40	

Concentrated Feed Box Small

With panel insert for the feeding of concentrated feed.

- suitable for all individual calf houses • can be hung on the inside of the fence • can easily be filled from the outside • cover protects contents from the rain • sturdy plastic container




Ref. no.	Colour	Width	Depth	Height	Capacity			€
144353	green	330 mm	512 mm	270 mm	13 L	1	40	

Combo Feed Box

For combined feeding of roughage and concentrates

- easy filling possible • Protects feed from rain
- Drainage in feed bowl for easy cleaning • is mounted externally to the feed opening • suitable for individual calf houses and calf boxes
- Rack capacity: 20 L • Feed bowl capacity: 5.5 L • including Bucket Guard hanging bracket item No. 1407






Ref. no.	Length	Width	Height			€
144355	300 mm	380 mm	730 mm	1	21	

Hay Rack

- suitable for CalfHouse Premium 4/5, FLI-XBOX group igloo, CalfHouse Premium XL and CalfHouse Premium XXL • Material: galvanised metal • screw-on fastening



Ref. no.	Length	Width	Height	Rod distance	Bar thickness			€
14454	113 cm	41 cm	38 cm	75 mm	10 mm	1	50	

Made in the EU



Feeding Bowl

- universal bowl for food • impact- and temperature-resistant plastic • bowl and lid can be printed on request • food safe

14711:

- large capacity • with filling scale in litres and US gallons • with ring recess • easy to clean thanks to round recess



Available in customer-specific composition.

Ref. no.	Colour	Height	Ø	Capacity		€
324817	grey	10 cm	21 cm	2 L	1/5	
324818	green	10 cm	21 cm	2 L	1/5	
324819	aquamarine	10 cm	21 cm	2 L	1/5	
324823	rosé	10 cm	21 cm	2 L	1/5	
324811	grey	12,5 cm	31,5 cm	6 L	1/5	
324812	green	12,5 cm	31,5 cm	6 L	1/5	
324815	aquamarine	12,5 cm	31,5 cm	6 L	1/5	
324816	rosé	12,5 cm	31,5 cm	6 L	1/5	
324813	olive green	12,5 cm	31,5 cm	6 L	1/5	
14711	olive green	18,5 cm	31,5 cm	8 L	1	



14711

Ref. no.	Description	Colour		€
324810	Lid for Feeding Bowl 2 litres	white	1/5/50	
324820	Lid for Feeding Bowl 6 litres and 8 litres	white	1/5/50	



324810

Feeding Bowl

- universal bowl for food • especially sturdy and hygienic • ideal for use in stables • Material: stainless steel

Ref. no.	Ø	Capacity		€
324828	30 cm	5,5 L	1/50	



All-Purpose Bucket

- very sturdy design • Material: Plastic

Available in customer-specific composition.



Top Seller


Made in the EU



Ref. no.	Description	Colour	Ø	Capacity			€
29881		olive green	33 cm	12 L	1	350	
29880	food safe	blue transparent	33 cm	12 L	1	350	
298801	food safe	transparent pink	33 cm	12 L	1	350	

Ref. no.	Description	Colour		€
29935	Lid for Stable and Construction Bucket	black	1/30	





Albert Kerbl GmbH

Felizenzell 9
84428 Buchbach
Germany
Telefon +49 8086 933-100
Telefax +49 8086 933-500
E-Mail info@kerbl.de
www.kerbl.de

Kerbl UK Limited

8 Lands End Way
Oakham, Rutland
LE15 6RF UK
Phone +44 01572 722558
Fax +44 01572 757614
E-Mail enquiries@kerbl.co.uk
www.kerbl.co.uk

© 11/2022

We are constantly striving to improve our stock of products and keep them right up to date. We reserve the right to make design changes. The publication of this catalogue renders all previous catalogues and prices lists for these products invalid.
All prices provided are the manufacturer's recommended retail prices and are inclusive of VAT. All information is subject to typesetting and printing errors. Price alterations and errors reserved. Colours and designs may vary due to printing processes. Reprinting – even just of extracts – is only permitted only with prior consent.