# Calf housing





# **Animal welfare regulations**

# Suitable in accordance with animal welfare regulations National regulations specify how long calves can be kept in which minimum areas. Our calf houses and

boxes, as well as our modular fence stabling, comply with these specifications and are perfectly designed to meet the requirements of calf rearing.

Single housing							
	Designation	<b>Single Calf House</b> PE UV+ (14566, 14570), Premium Plus (14580, 14585), Master Plus (14470, 14485)	<b>Calf Box</b> Small (14610)	<b>Calf Box</b> Large (14611) and Premium (14616)	<b>Modular calf box</b> single free-standing (14626), wall-mounted (14627)		
Germany / Austria	0 - 2 weeks	1	1	1	1		
	2 - 8 weeks *	1	Х	1	1		
	0 - 2 weeks	1	1	1	1		
Switzerland	2 - 3 weeks *	1	Х	Х	Х		
	4 weeks to 4 months *	1	Х	Х	Х		
NL, FI, IT, BE	0 - 8 weeks *	The dimensions of the individual accommodation are based on the following specifications: Interior length: Length of the calf x 1.1, Interior width: at least the height of the withers With our CalfHouse series, you can usually accommodate your calves for up to 8 weeks.					
	- 1 week	1	Х	Х	Х		
EU Bio	2 weeks up to 100 kg *	1	Х	Х	Х		

\* At this age, group housing is required, unless exceptional circumstances apply



**Group housing** The following tables show the maximum allowable number of animals in accordance with current legal regulations:

Multiple boxes		
	Designation	<b>Double ca</b> l (14615)
	< 150 kg	2 (up to 2 v
Germany	150 - 220 kg	Х
	> 220 kg	Х

	Designation	<b>Double calf box</b> (14615)	Modular calf box double free-standing (14628), wall-mounted (14629)	Modular calf box triple free-standing	Modular calf box triple wall-mounted
	< 150 kg	2 (up to 2 weeks)	2 (up to 2 weeks)	3 (up to 8 weeks)	3
Germany	150 - 220 kg	Х	х	3 (up to 8 weeks)	3
	> 220 kg	Х	Х	3 (up to 8 weeks)	3
	< 150 kg	2	3	3	3
Austria	150 - 220 kg	Х	2	3	3
	> 220 kg	Х	Х	2	3
	0 - 2 weeks	2	2	3	3
Switzerland	- 3 weeks	2	2	3	3
	4 weeks to 4 months	2	2	3	3
	< 150 kg	2	2	3	3
NL, FI, IT, BE	150 - 220 kg	Х	2	3	3
	> 220 kg	Х	2	3	3







# Animal welfare regulations

	Designation	Single pack for 3-pce calf group (14486)	Single pack for 5-pce calf group (14487)	Twin pack for 2 x 3-pce calf group (14488)	Twin pack for 2 x 5-pce calf group (14489)
	< 150 kg	3 (up to 8 weeks)	5	7	10
Germany	150 - 220 kg	3 (up to 8 weeks)	4	6	8
, , , , , , , , , , , , , , , , , , ,	> 220 kg	2 (up to 8 weeks)	4	6	8
	< 150 kg	3	4	6	9
Austria	150 - 220 kg	3	4	6	8
	> 220 kg	2	3	5	7
	- 3 weeks	6	8	12	16
Switzerland	4 weeks to 4 months *	4	5	8	10
	up to 200 kg	3	4	6	8
	< 150 kg	4	5	8	10
NL, FI, IT, BE	150 - 220 kg	3	4	6	8
	> 220 kg	3	4	6	8



### Large hutch

Modular fence stabling

	Designation	<b>Double calf house</b> (14618)	Premium XL with catch grille (14539)	<b>Premium XL</b> (14520)	Twin Pack Premium XL (14530)	Twin Pack Premium XXL (14540)
	< 150 kg	3 (up to 8 weeks)	3 (up to 8 weeks)	5	10	7
Deutschland	150 - 220 kg	3 (up to 8 weeks)	3 (up to 8 weeks)	5	10	7
	> 220 kg	3 (up to 8 weeks)	2 (up to 8 weeks)	5	10	7
	< 150 kg	3	2	5	10	7
Austria	150 - 220 kg	3	2	4	9	7
	> 220 kg	2	2	4	8	7
	- 3 weeks	3	Х	4	8	8
Switzerland	4 weeks to 4 months *	2	Х	3	6	5
	up to 200 kg	Х	Х	2	4	4
	< 150 kg	3	3	5	10	7
NL, FI, IT, BE	150 - 220 kg	3	2	5	10	7
	> 220 kg	3	2	4	9	7
	<= 100 kg	2	Х	3	6	6
EU Bio	<= 200 kg	Х	Х	Х	3	3
	<= 350 kg	Х	Х	Х	2	2







## **Modular Calf Box**

The new modular calf boxes from Kerbl give you maximum flexibility and efficiency of labour. The boxes can be stacked free-standing or attached to a wall. The panels are quickly and easily set up by a single person, and can be combined into one or more boxes. You can start with individual pens, and easily create small groups by removing the side walls between adjacent boxes. Dismantling and cleaning are just as quick as they are easy. The handles on the panels are large enough to fit onto pallet forks. The panel surfaces are easy to clean. The new unique stacking system allows space-saving sorting and storage of the panels, including the door element.

- new unique stacking system
- one box offers approx. 1.8 m2 of space (1.60 x 1.15 m)
- up to three boxes can be combined to create a group bay
- robust plastic with stiffening ribs
- easy-to-clean walls with smooth surface
- social contact opening in the area of the side walls allows the calf contact with other calves
- front element with swivel-mounted revolving door and fixed drinking area, perfect for teaching calves to suckle
- includes a watering bucket mounting bracket and two foldable bucket brackets
- carrying handle for manual transport
- Box assembled / disassembled in a few simple steps
- Can be transported with pallet forks
- single-handed unlocking
- no need to drill holes in the floor for fastening





#### **Suitable in accordance with animal welfare regulations:** Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Ref. no.	Description	Material	Ð	€	
14626	Single Bay, Free Standing	galvanised metal / Plastic	1	949,00	P.
14627	Single Bay, Wall-Standing	galvanised metal / Plastic	1	739,00	<b>•</b> •
14628	Twin Bay, Free Standing	galvanised metal / Plastic	1	1.645,00	P P
14629	Twin Bay, Wall-Standing	galvanised metal / Plastic	1	1.179,00	P P
14630	Single-Bay Extension, Free Standing	galvanised metal / Plastic	1	699,00	P P
14631	Single-Bay Extension, Wall-Standing	galvanised metal / Plastic	1	449,00	<b>P</b> P



*<b>čKERBL* 

## Calf Box Premium with Swivel Floor

Thanks to the swivel floor, the Calf Box Premium can be quickly mucked out and conveniently cleaned. Lowering the front loader automatically locks the folding floor. The two-part door is ideal for teaching calves to use the feeding pail. The farmer can leave the box without disturbing the calf as it drinks. The calf box ensures that the calf enjoys plenty of fresh air, but is not exposed to any draughts. It is also protected from harmful pathogenic bacteria. The animal does not lie directly on the floor in the calf box, but rather on the raised grille. This keeps the calf warmer and dryer.

- stable,hot dip-galvanised metal frame
- GRP base grille (two-part) offering excellent grip and anti-slip properties •
- easy-to-clean side walls made from PVC panels with smooth surface ٠
- social contact opening in the area of the side walls allows the calf contact with other calves
- inwards and outwards swinging door with single-handed door operation •
- two-part revolving door •
- · includes a watering bucket mounting bracket and two foldable bucket brackets
- · the folding handles on the front make moving the box exceptionally easy
- · folding base for fast cleaning, with automatic locking
- Can be transported with pallet forks ٠
- transport device optionally available ٠
- Bucket not included
- Comes disassembled



Local animal protection regulations must be observed! Please note separate freight costs.

#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Technical data		
External hut dimensions	210 cm x 112 cm x 143 cm	
House inner dimensions	163 x 103 x 118,5 cm	outer dimer
Weight	143 kg	— unfolded bu

nsions incl. ucket holder

Ref. no.				€	
14616	Calf Box Premium with Swivel Floor	1	7	919,00	<b>•</b> ••









## Calf box

The calf box ensures that the calf enjoys plenty of fresh air, but is not exposed to any draughts. It is also protected from harmful pathogenic bacteria. The animal does not lie directly on the floor in the calf box, but rather on the raised grille. This keeps the calf warmer and dryer. The calf box is available in two sizes.

• stable,hot dip-galvanised metal frame • GRP base grille (two-part) offering excellent grip and anti-slip properties • easy-to-clean side walls made from PVC panels with smooth surface • the open gap in the upper area of the side walls allows the calf to have visual contact with its neighbours • revolving door which opens in both directions • includes a watering bucket mounting bracket and two foldable bucket brackets • Feeding places can be individually blocked • folding handle on the front make moving it exceptionally easy • transport device optionally available • Can be transported with pallet forks • roof optionally available • Bucket not included • Comes disassembled











#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Technical data	14610	1461	1		
External hut dimensions	173 cm x 93 cm x 131 cm	201 (	cm x 10	7 cm x 131	cm
House inner dimensions	130 x 85 x 106 cm	160 >	x 100 x	106 cm	
Weight	121 kg	160 l	kg		
Ref. no.	Description	Ħ		€	
14610	Calf box small	1	6	679,00	<b>.</b> 6
14611	Calf box large	1	6	779,00	<b>.</b> P





roof optionally available



Ref. no.	Description	Length	Width	Height	Weight	Ø		€	
14612	Roof for Calf Box small	153 cm	98 cm	3,5 cm	22 kg	1	24	164,00	<b>. .</b>
14613	Roof for Calf Box large and Premium	180 cm	120 cm	3,5 cm	25 kg	1	25	182,00	
14609	Transport Device for Calf Box					1	50	69,99	
14610-1	GRP Floor Trivet for Calf Box small (two part)	130 cm	85 cm	2,5 cm	15,6 kg	1		129,00	
14611-1	GRP Floor Trivet for Calf Box large (two part)	160 cm	100 cm	2,5 cm	22 kg	1		159,00	
14611-2	PVC Panel Calf Box for side wall	165 cm	3 cm	25 cm		1		24,99	
14611-3	for rear wall	97 cm	3 cm	25 cm		1		14,99	



## **Double Calf Box**

- supplied package includes two complete calf boxes (14611) incl. expansion set (14614)
- robust extension, easy to move by hand or front loader
- flexible, easy conversion between double and single boxes









201 cm x 214 cm x 131 cm 160 x 200 x 106 cm 323 kg				
Description	Ē	€		
Double Calf Box	1	1.559,00	<b>•</b> •	1

## **Extension Set Double Calf Box for 14611**

• extension set for converting two calf boxes (14611) into one double box • robust extension, easy to move by hand or front loader • flexible, easy conversion back to two single boxes







Technical data

Weight

Ref. no.

14615

External hut dimensions

House inner dimensions

## Kerbl CalfHouse

#### The ideal home for calves



Calf houses combine all the advantages to give calves the best possible start. The houses offer protection from all kinds of weather at all times of the year. At the same time, air circulation is promoted by the rising roof slopes and ventilation openings, which reduces germ pressure and creates the best possible microclimate. The run offers outdoor climate stimuli and expands the generous space. **Calf houses from Kerbl are therefore also suitable for use in organic livestock farming without any restrictions!** In science and practice, calf houses are considered the best housing system, both during individual and group housing.

### protected and spacious

#### optimal climate - both in summer and winter

- high insulation and UV protection due to high-quality materials
- promotion of air circulation through the shape of the house and removal of moist warm air
- white surfaces prevent heating up

#### animal-friendly design

- large amount of space
- fence with minimal spacing between the vertical struts and side guards to prevent injuries
- smooth interior surfaces prevent licking of material fibres, facilitate cleaning and thus significantly improve hygienic conditions

#### Robustness

- high-quality materials ensure breakage safety and impact resistance as well as a long service life for the calf house
- uniform wall thickness and side stability arches increase static stability and also offer additional torsional stiffness
- robust, hot-dip galvanised fencing
- side guards provide the fencing with additional stability

## Comfort for humans and animals

#### Practical, convenient and multi-functional

- Fencing can be folded over the calf house to clean the forecourtThe revolving door can optionally also be placed in the calf house
- entrance to lock the calf inCalf house can be moved forward into the fence for scattering litter, cleaning and moving
- Large solid rubber tyres with needle bearing enable easy moving even with difficult ground conditions
- Handle for easier lifting of the house
- Threshold at the house entrance stops litter getting out
- Floor-level threshold at the fence enables unobstructed entrance for people and animals
- Side guards stop calves from slipping through and lend additional stability

## Multifunctional revolving doors:

- Flex rail (a) with drinking bucket and bucket safety catch (b), 2 feed openings (c), with hinged bucket holders for feed buckets
- The high position of the feed bucket promotes the natural stretching of the neck, so that the milk can pass directly into the abomasum.
- The bucket's inclined position ensures it is fully emptied
- Flex rail for variable mounting of the bucket holder and the optional dry feed bottle holder



#### Lightweight or heavy fence

The fencing is available in a lightweight design for all single-calf houses. The reduced weight makes it easier to lift the fence and to reposition the house integrated in the fence, while also offering a high degree of stability.

In the case of the CalfHouse Premium Plus, CalfHouse Master Plus and CalfHouse PE UV+, the fencing can also be supplied. in a heavyweight design. It is extremely robust and its increased weight offers even greater static stability.





## CalfHouse PE UV+

High stability and durability are ensured because it is made from high-quality, impact-resistant HDPE plastic with integrated UV stabilisers. The hut entrance threshold, reinforced with steel tubes, ensures a high level of stability. Optimal climate control of the Calf House is achieved via the adjustable ventilation flap that can be fixed at all levels. This also makes it easy to fill the Hay Rack. The especially smooth interior surfaces make cleaning child's play and thus improves hygiene.

increasing roof slope with ventilation openings ensure optimum air circulation so that humid air can heat escape at the top • pure white surfaces prevent overheating of the interior space
additional UV stabilisers prevent the calf house heating excessively and reduce the natural degeneration of the material • Bucket, feed box and hay rack not included



#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Technical of	data 14565		14566			14570				
House mat	erial		polyethylene			polyeth	ylene			
External hu	It dimensions 205 cm x 115 cr	m x 135 cm	205 cm x 115 c	m x 135 cm	1	205 cm	, x 115	cm x 1	35 cm	
Fencing dir	mensions		150 x 110 x 96	cm		150 x 1	10 x 9	6 cm		
Fencing we	eight		approx. 30 kg			approx	. 45 kg			
Ref. no.		Description					Æ		€	
14565		without fencing					1	17	469,00	
14566	CalfHo	use PE UV+ with light	fencing				1	4	649,00	<b>P</b> P
14570	CalfHo	use PE UV+ with heavy	y fencing				1	4	719,00	<b>•</b> ••
Ref. no.	Description	Material	Length	Width	Height	Weight	Ð		€	
145620	Fence lightweight for CalfHouse PE UV+	galvanised metal	l 150 cm	110 cm	96 cm	30 kg	1	24	235,00	<b>.</b> P
14572	Fence heavyweight for CalfHouse PE UV+	galvanised metal	l 150 cm	110 cm	96 cm	45 kg	1	22	269,00	• •
14568	for CalfHouse PE UV+					13 kg	1	34	115,00	
14567	threshold Retrofit Kit	metal	98 cm	2,5 cm	17 cm	2,2 kg	1	200	19,99	
3230	Hay Rack small model	galvanised meta	l 56 cm	29,5 cm	23 cm		1	78	24,99	



## **CalfHouse Premium Plus**

#### More space! More stability!

This Calf House, increased in both length and height, offers the calf improved protection from the weather and gives farmers more space when handling the calf. The CalfHouse Premium Plus is built using special fibreglass material with a very high surface mass. This gives it excellent resistance against tears and impacts. The wall construction is also additionally reinforced in all edge areas and in the corners of the calf house. The easy-to-clean plastic barrier improves hygiene. This Calf House also has an optimal ventilation system that regulates the climate in the house without any draughts. Bucket not included



#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Technical data	a 14581		14580			14585					
House materia	I GFK		GFK			GFK					
External hut di	imensions 210 cm x 115 c	m x 145,5 cm	210 cm x 115 cm x 145,5 cm			210 cm x 115 cm x 145,5 cm					
Fencing dimen	isions		150 x 110 x 9	6 cm		150 x 110	x 96 c	m			
Fencing weigh	t		approx. 30 kg			approx. 4	5 kg				
Ref. no.		Description				É	₿₿		€		
14581	CalfHou	ise Premium Plus witho	out fencing				1	10	479,00	<b>.</b> •	
14580	CalfHou	CalfHouse Premium Plus with light fencing								<b>.</b> •	
14585	CalfHouse Premium Plus with heavy fencing						1	4	719,00	<b>P</b>	
Ref. no.	Description	Material	Length	Width	Height	Weight	Ø		€		
144720	Fence lightweight for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	30 kg	1	24	219,00	<b>.</b> 9	
144322	Fence heavy for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	45 kg	1	22	249,00	<b>-</b>	
14304	threshold	Plastic	100 cm	2,3 cm	14,5 cm	4 kg	1	168	15,99		
14302	threshold	Larch	100 cm	2,3 cm	14,5 cm	1,8 g	1	168	14,59		



## **CalfHouse Master Plus**

The CalfHouse Master Plus, which has proven itself over 10,000 times, profits from our skill and many years of experience in the design of high quality Calf Houses, and unifies all the proven features of the CalfHouse series regarding stability, comfort and animal well-being – at an excellent price/performance ratio. With its generous dimensions, the CalfHouse Master Plus, made from glass fibre reinforced plastic offers the calf protection from the weather and free space for handling by the farmer. This Calf House also has an optimal ventilation system that regulates the climate in the house without any draughts.

· Bucket and feed box not included

#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Technical data	14301		14470			14485					
House material	GFK		GFK			GFK					
External hut dir	mensions 200 cm x 115	cm x 135 cm	200 cm x 11	5 cm x 135	200 cm x 115 cm x 135 cm						
Fencing dimens	sions		150 x 110 x	96 cm		150 x 1	10 x 96	5 cm			
Fencing weight	:		approx. 30	kg		approx.	45 kg				
Ref. no.		Description			Ø	Ē	3	€			
14301	CalfHouse M	aster Plus without fencir	ng		1	1	2	369,	00 🗖	<b>B</b>	
14470	CalfHouse Ma	ster Plus with light fenc	ing		1	4	4	569,	00	<b>P</b>	
14485	CalfHouse Master Plus with heavy fencing						4	599,	00	<b>P</b>	
Ref. no.	Description	Material	Length	Width	Height	Weight	Ø		€		
144720	Fence lightweight for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	30 kg	1	24	219,00	<b>.</b>	
144322	Fence heavy for CalfHouse Premium Plus and Master Plus	galvanised metal	150 cm	110 cm	96 cm	45 kg	1	22	249,00	<b>. .</b>	
14304	threshold	Plastic	100 cm	2,3 cm	14,5 cm	4 kg	1	168	15,99		
14302	threshold	Larch	100 cm	2,3 cm	14,5 cm	1,8 g	1	168	14,59		



## **CalfHouse Premium DUO**

• convenient rearing and farming of calves in pairs or small groups • the house has space for three calves up to 150 kg in weight • three feeding locations with drinking bucket holders and additional fold-out bucket holders on the front element • front element can be swapped between house and fence • inwards and outwards swinging door with single-handed door operation • House can be tilted forward, providing simple access for cleaning • easily pushed by hand, thanks to integrated rollers, fold-up fence, and curved grip on the back • simple relocation of the house using a tractor, thanks to transport rails on the roof • also ideally suited for ecologically managed operations, for group rearing from the start

14618: Included: house and fence, lifting rails, metal threshold, 3 drinking bucket holders, and 3 concentrate bucket holders

Local animal protection regulations must be observed! Please note separate freight costs.

#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

Technical data	
House material	GFK
External hut dimensions	205 cm x 179 cm x 145 cm
Fencing dimensions	169 x 153 x 108 cm
Fencing weight	approx. 70 kg





Ref. no.	Desc	ription		Ð	€					
14618	CalfHouse Premiur	1	1.395,00	•						
14617	CalfHouse Premium DUO without fencing				899,00					
Ref. no.	Description	Material	Length	Width	Height	Weight	Ē		€	
144323	Fence for CalfHouse Premium DUO	galvanised metal	169 cm	153 cm	108 cm	70 kg	1	5	549,00	<b>.</b> •



## **CalfHouse Premium XL**

The multi-animal Calf House made from glass fibre reinforced plastic offers space for up to 5 calves (local animal protection regulations must be observed). A sliding window is placed at the back to make animal control and filling the optional hay rack, among other things, easier. The additional reinforcing frame around the Calf House ensures the highest stability. The Calf House with fence provides optimum oversight and makes animal control easier.

- Feeding places can be individually blocked
- Side grilles can easily be swung back against the cabin walls
- easy access via large entrance door, even a calf transporter fits through the door
- pre-drilled holes on runners for straw catching and floor securing
- house and fence easy to transport with a tractor
- · Feeding bucket and long feeder troughs not included

14520: Included: Hut incl. reinforcing frames and fencing, eyebolts, wooden sleeper, drinking bucket holder and two trough holders for long feed troughs (item no. 3268).

#### Catch grille:

- with 5 feeding places
- with catch system: individual and complete locking possible
- lockable, fold-up drinking bucket holder, also length and height-adjustable
- adjustable feeding place width
- incl. trough holder
- catch grille width information: with drinking bucket holder, max. length

#### Vielseitig und robust



Side and catch grilles can be arranged as required



The reinforcing frame gives the house additional stability



Catch grille can be hung back on the house

# Twin set, CalfHouse Premium XL with fence (item no. 14530)

- Also available as a twin set for up to 10 calves
- Tip: With an additional fence component, the twin set can quickly and easily be divided into two bays.

Dimensions per pen

Local animal protection regulations must be observed! Please note separate freight costs.



Technical data	14520	14518	14530
House material	GFK	GFK	GFK
External hut dimensions	238 cm x 223 cm x 189 cm	238 cm x 223 cm x 189 cm	238 cm x 223 cm x 189 cm
Fencing dimensions	209 x 221 x 120 cm		209 x 447 x 120 cm

Ref. no.		Des	cription					Ø		€	
14520		CalfHouse Prem	ium XL witł	n fencing				1		2.395,00	<b>B</b>
14518		CalfHouse Pr	emium XL s	single				1	4	1.449,00	P.P.
14530	Ca	alfHouse Premium XL	with fencir	ng – 2-piec	e set			1		3.995,00	
Ref. no.	Description	Material	Length	Width	Height	MOQ	Pieces / unit	Ð		€	
14466	Canopy	polyester, PVC-coated	300 cm	270 cm				1		679,00	<b>P</b>
14524	Reinforcing Frame	galvanised metal						1		119,00	<b>P</b> P
14526	Trough Holder for Long Feed Trough	galvanised metal	82 cm	13,5 cm	18 cm			1	200	25,99	
14527	holder for concentrate bucket 5 feeding places	galvanised metal	184 cm	42 cm	20 cm			1	36	74,99	<b>P</b>
14528	Feeding place separator	galvanised metal	37,5 cm	14 cm	55,2 cm	1 pack	2 / pack	1	100	26,99	
14458	threshold	Larch	203 cm	3,5 cm	19 cm			1	52	42,99	
14454	Hay Rack	galvanised metal	113 cm	41 cm	38 cm			1	32	89,99	<b>B</b>
14522	Fence for CalfHouse Premium XL	galvanised metal						1		1.159,00	• •

## **CalfHouse Premium XL**

The multi-animal Calf House made from glass fibre reinforced plastic offers space for up to 5 calves (local animal protection regulations must be observed). A sliding window is placed at the back to make animal control and filling the optional hay rack, among other things, easier. The additional reinforcing frame around the Calf House ensures the highest stability. The Calf House with fence provides optimum oversight and makes animal control easier.

- Feeding places can be individually blocked
- Side grilles can easily be swung back against the cabin walls
- easy access via large entrance door, even a calf transporter fits through the door
- pre-drilled holes on runners for straw catching and floor securing
- house and fence easy to transport with a tractor
- Feeding bucket and long feeder troughs not included

14520: Included: Hut incl. reinforcing frames and fencing, eyebolts, wooden sleeper, drinking bucket holder and two trough holders for long feed troughs (item no. 3268).

Technical da	ata				
House mate	rial	GFK			
External hut	dimensions	238 cm x 223 cm x 189 cm			
Ref. no.		Description		€	
14539		nouse with catching grid Iouse Premium XL	1	1.999,00	<b>P</b>



TV





## **CalfHouse Premium XXL**

The large-area Calf House made from glass fibre reinforced plastic offers space for up to 7 calves (local animal protection regulations must be observed). The additional reinforcing frame around the Calf House ensures the highest stability for even large animals. The swivelling ventilation slots control the air circulation in the back area of the Calf House. A sling bar is attached at the house roof ridge to enable easy lifting and transporting. The Calf House with fence provides optimum oversight and makes animal control easier.

- Feeding places can be individually blocked
- Side grilles can easily be swung back against the cabin walls
- · easy access via large entrance door, even a calf transporter fits through the door
- pre-drilled holes on runners for straw catching and floor securing
- house and fence easy to transport with a tractor
- Feeding bucket and long feeder troughs not included

14540: Included: Hut incl. reinforcing frames and fencing, sling bars, wooden sleeper, drinking bucket holder and four trough holders for long feed troughs (item no. 3268).

#### Catch grille:

- with 7 feeding places
- with catch system: individual and complete locking possible
- lockable, fold-up drinking bucket holder, also length and height-adjustable
- adjustable feeding place width
- incl. trough holder
- catch grille width information: with drinking bucket holder, max. length

#### Versatile and robust



Side and catch grilles can be arranged as required



The reinforcing frame gives the house additional stability



Catch grille can be hung back on the house









House and fence easy to transport with a tractor

Optional feeding space separation

#### Suitable in accordance with animal welfare regulations:

Our calf houses and boxes comply with animal welfare regulations and have the optimum design for the requirements of calf rearing. Find out more online at www.kerbl.com

## Local animal protection regulations must be observed! Please note separate freight costs.

A front-loader with forklift will be required for unloading!

Technical d	lata 14540		14519								
House mate			GFK								
		296 cm x 204 cm	-	96 cm x 204	1 cm						
Fencing din	nensions 280 x 299	x 120 cm									
Ref. no.	Description			€							
14540	CalfHouse Premium XXL w	vith fencing	1	3.859,00	<b>-</b> •						
14519	CalfHouse Premium XX	L single	1	2.750,00	<b>P</b>						
Ref. no.	Description	Material	Length	Width	Height	MOQ	Pieces / unit	Ē		€	
14546	Fence for CalfHouse Premium XXL	galvanised meta							1	1.299,00	<b>.</b> •
14526	Trough Holder for Long Feed Trough	galvanised meta	82 cm	13,5 cm	18 cm			1	200	25,99	
14528	Feeding place separator	galvanised meta	37,5 cm	14 cm	55,2 cm	1 pack	2 / pack	1	100	26,99	
14547	holder for concentrate bucket 7 feeding places	galvanised meta	260 cm	42 cm	20 cm			1	200	129,00	<b>.</b> .

# *<b><i>KERBL*



## Modular fence stabling

#### flexible accommodation for calves - creation of (small) groups is simple and cheap

Modular fence stabling gives you the option of housing your calves at low cost in small or larger groups. Roofed areas, halls, or stalls are outstandingly suitable locations. You know the functionalities from the Premium XL and XXL large hutches.

• Kerbl offers four preconfigured sets, for 3, 5, 6, and 10 calves (1.7 m<sup>2</sup> per animal from 220 kg live weight)\* • Bucket and long feeder trays not included.

14486 Includes: 2 x 14495 (wall bracket), 1 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 1 x 14493 (5-pce safety grille) 14487 Includes: 2 x 14495 (wall bracket), 1 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 1 x 14498 (7-pce safety grille) 14488 Includes: 3 x 14495 (wall bracket), 2 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 2 x 14493 (5-pce safety grille) 14489 Includes: 3 x 14495 (wall bracket), 2 x 14496 (fence part with gate, long), 1 x 14497 (fence part grille, long), 2 x 14498 (7-pce safety grille)

\* Sample calculation based on the legal requirement of 1.7 m<sup>2</sup> per animal, from a weight of 220 kg and upwards (German Order on the protection of animals and the keeping of production animals – TierSchNutztV). Your responsible veterinary inspection office can provide further information.

Local animal protection regulations must be observed! Please note separate freight costs. A front-loader with forklift will be required for unloading!

Ref. no.	Description	Material	Ø	€	
14486	Single Set for 3-pce Calf Group	galvanised metal	1	999,00	<b>B</b>
14487	Single Set for 5-pce Calf Group	galvanised metal	1	1.159,00	<b>.</b> •
14488	Twin Pack for 2 x 3-pce Calf Group	galvanised metal	1	1.695,00	<b>P</b>
14489	Twin Pack for 2 x 5-pce Calf Group	galvanised metal	1	2.059,00	<b>P</b> P



#### Sample configuration

You also have the option to configure the accommodation for your stock yourself. Select the components from the table below, and order your desired combination. For this, please comply with the legal requirements\* in your region.



Corner solution, narrow: 2 x 14495 (wall bracket), 1 x 14491 (fence part with gate, short), 1 x 14498 (catch grille for 7 feeding places)



Corner solution, wide: 2 x 14495 (wall bracket), 1 x 14496 (fence part with gate, long), 1 x 14498 (catch grille for 7 feeding places)

#### **Optional accessory:**

14526 trough holder for long feed trough: suitable for 14493, 14498, 14491, 14496 14527 bracket for 5 feed buckets: suitable for 14493 14547 bracket for 7 feed buckets: suitable for 14498 14528 Feeding Place Separator: suitable for 14493, 14498, 14491, 14496



14526 Holder for Long Feed Trough



14527 Bracket for 5 feed buckets



14528 Feeding Place Separator

14495 Wall Bracket

Ref. no.	Description	Material	Length	Width	Height	MOQ	Pieces / unit	Ð	€	
14495	Wall Mount	galvanised metal	70 cm	12,6 cm	9 cm			1	15,95	
14493	Catch grille 5 feeding places	galvanised metal	213 cm	52 cm	120 cm				519,00	<b>•</b> ••
14498	Catch grille 7 feeding places	galvanised metal	285 cm	52 cm	120 cm				629,00	• •
14491	Fence Part with Door with 3 feeding places	galvanised metal	215 cm	3 cm	120 cm				289,00	•
14496	Fence Part with Door with 6 feeding places	galvanised metal	285 cm	3 cm	120 cm				369,00	
14492	Fence Part Grille short	galvanised metal	215 cm	3 cm	120 cm				219,00	<b>•</b> ••
14497	Fence Part Grille long	galvanised metal	285 cm	3 cm	120 cm				245,00	
14526	Trough Holder for Long Feed Trough	galvanised metal	82 cm	13,5 cm	18 cm			1	25,99	
14527	holder for concentrate bucket	galvanised metal	184 cm	42 cm	20 cm			1	74,99	<b>•</b> •
	5 feeding places									
14547	holder for concentrate bucket	galvanised metal	260 cm	42 cm	20 cm			1	129,00	- P
	7 feeding places									
14528	Feeding place separator	galvanised metal	37,5 cm	14 cm	55,2 cm	1 pack	2 / pack	1	26,99	



## **Combo Feed Box Small**

With galvanised rack inlay for the combined feeding of concentrated feed and hay. Ideal for calves switching from wet to dry feed.

• suitable for all individual calf houses • can be hung on the inside of the fence • can easily be filled from the outside • cover protects contents from the rain • sturdy plastic container





144352 green 330 mm 512 mm 270 mm 11,5 L 1 40 59,99	Ref. no.	Colour	Width	Depth	Height	Capacity	Ð		€
	144352	green	330 mm	512 mm	270 mm	11,5 L	1	40	59,99

## Concentrated Feed Box Small

With panel insert for the feeding of concentrated feed.

- suitable for all individual calf houses
- can be hung on the inside of the fence
- can easily be filled from the outside
- cover protects contents from the rain
- sturdy plastic container





Ref. no.	Colour	Width	Depth	Height	Capacity	Ø		€
144353	green	330 mm	512 mm	270 mm	13 L	1	40	65,99

## **Combo Feed Box**

For combined feeding of roughage and concentrates

- easy filling possible Protects feed from rain
- Drainage in feed bowl for easy cleaning
- is mounted externally to the feed opening
- suitable for individual calf houses and calf boxes • Rack capacity: 20 L • Feed bowl capacity: 5.5 L • including Bucket Guard hanging bracket item No. 1407 • Material: Plastic

Width

380 mm

730 mm





## Hay Rack

Ref. no.

144355

• suitable for CalfHouse Premium 4/5, FLIXBOX group igloo, CalfHouse Premium XL and CalfHouse Premium XXL • Material: galvanised metal • screw-on fastening

Length

300 mm



1

21

125,00



Ref. no.	Length	Width	Height	Rod distance	Bar thickness	Ø		€	
14454	113 cm	41 cm	38 cm	75 mm	10 mm	1	32	89,99	<b>.</b>

## **Feeding Bowl**

• universal bowl for food • impact- and temperature-resistant plastic • bowl and lid can be printed on request • food safe

14711:

• large capacity • with filling scale in litres and US gallons • with ring recess • easy to clean thanks to round recess

Made in the EU

Available in customer-specific composition.

Ref. no.	Colour	Height	Ø	Capacity	Ē	€
324817	grey	10 cm	21 cm	2 L	1/5	3,29
324818	green	10 cm	21 cm	2 L	1/5	3,29
324819	aquamarine	10 cm	21 cm	2 L	1/5	3,29
324823	rosé	10 cm	21 cm	2 L	1/5	3,29
324811	grey	12,5 cm	31,5 cm	6 L	1	4,49
324812	green	12,5 cm	31,5 cm	6 L	1/1	4,49
324815	aquamarine	12,5 cm	31,5 cm	6 L	1/1	4,49
324816	rosé	12,5 cm	31,5 cm	6 L	1/1	4,49
324813	olive green	12,5 cm	31,5 cm	6 L	1/1	4,49
14711	olive green	18,5 cm	31,5 cm	8 L	1	5,99
					Æ	
Ref. no.		Description		Colour	Ħ	€
324810	Lid for F	eeding Bowl 2 l	itres	white	1/5/50	1,89
324820	Lid for Feeding	g Bowl 6 litres a	nd 8 litres	white	1/5/50	2,49

# 14711

324810

## **Feeding Bowl**

- universal bowl for food especially sturdy and hygienic
- ideal for use in stables Material: stainless steel

Ref. no.	Ø	Capacity	Ē	€
324828	30 cm	5,5 L	1/50	12,99

## **All-Purpose Bucket**

• very sturdy design • Material: Plastic

Available in customer-specific composition.

Ref. no.	Description	Colour	Ø	Capacity	Ð		€
29881		olive green	33 cm	12 L	1	350	6,79
298800	food safe	blue transparent	33 cm	12 L	1	350	8,29
298801	food safe	transparent pink	33 cm	12 L	1	350	8,29
Ref. no.		Description			Colour	Ð	€
29935	Lid for	Stable and Construction Bucket			black	1/30	2,99



**Top Seller** 

Made in the EU

## **Bucket Mount**

• robust • for hanging buckets and food

bowls • for wall i 321216: • Bucket ring car not in use • for w	n be folded away when	321216	1444, 144	5		
Ref. no.	Description	Material	Ø	Ē		€
1444	Standard	galvanised metal	29,5 cm	1	310	10,99
321216	foldable, for wall mounting	galvanised metal	28 cm	1/10	240	15,49
1445	Dutch model	galvanised metal	28 cm	1	340	10,99

## holder for concentrate bucket

• suitable for e.g. stable and construction buckets (29881) and feed bowls (324811-324816) • also suitable for wall mounting

14527: for CalfHouse Premium XL (14520) 14547: for CalfHouse Premium XXL (14540)

Ref. no.	Description	Material	Length	Width	Height	Ð		€	
14527	5 feeding places	galvanised metal	184 cm	42 cm	20 cm	1	36	74,99	<b>B</b>
14547	7 feeding places	galvanised metal	260 cm	42 cm	20 cm	1	200	129,00	<b>•</b> ••

## **Feed Trough Long**

#### for hanging

• especially stable with glass fibre reinforced plastic • extra-strong loops • fits plug trays and nearly every device of up to 50 mm size • Dimensions: Depth 35 cm (28 cm without mounting bracket) • for hanging



Ref. no.	Colour	Width	Depth	Height	Capacit	ty	Ē		€
3268	green	100 cm	35 cm	24 cm	42 L		1	120	59,99
Ref. no.	[	Description		Material	Length	Width	Height	Ē	€
14526	Trough Holde	er for Long Feed Ti	rough	galvanised metal	82 cm	13,5 cm	18 cm	1	25,99

## Long feeding trough with float valve

Simple water supply for your animals without any installation work. Connect the hose - and that's it!

• float valve can be used on both sides of the trough • pipe piece and cover made from stainless steel • inc. click coupling for garden hose

223111

Water connection

1/2"

€

44,99

100 cm x 35 cm x 24 cm

42 L

• for hanging • Material: Plastic

Colour

green

Æ

1/10

Technical data

Ref. no.

223111

Ref. no.

223113

Dimensions (W x D x H)



1

96,99



# **Calf occupation**

## Occupational items for calves

The purpose of occupational items is to calm their unmet desire to suckle and provide an outlet for their energy. They also help to prevent misbehaviour (e.g. mutual suckling). Calves' acceptance and interest in these items is very high and also long-lasting. The calves like playing and busying themselves with the various toys.

'Toys for young animals' immediately create a positive and friendly impression in the calf shed.

## **Feed Ball Toy**

• the Food Play Ball must be used only in the stable, pasture, or paddock, and under supervision\* • with 19 feed openings • durable UV-resistant plastic • for up to 3 kg of hay • Filled via 116 mm filling opening with screw cap • can also be hung on a cable or chain • for safe use as an occupation, we recommend hanging attachment using the universal belt (3226434)

3210384: 40 mm feed openings especially suitable for small horses

- Calves enjoy playing with the swinging ball or eat hay from it
- Suitable for group housing

Ref. no.	Colour	Ø	diameter of feed opening	, 🗊	€	
3210385	blue	40 cm	60 mm	1	59,99	
3210386	red	40 cm	60 mm	1	59,99	
3210388	pink	40 cm	60 mm	1	59,99	Т
3210384	purple	40 cm	40 mm	1	59,99	
				1	_	
Ref. no.		Descriptio	n 🗒	j	€	Made in the EU
3210385-1	Lid	for Food Pla	ay Ball 1/80	)	3,99	wade in the LO



The HayBag brings together many benefits in one product.

• up to 15 % less feed wastage • easy to fill and clean • ideal for species-appropriate feeding of hay • universally usable and easy to mount in stables or pasture

326102: 12 side holes with 20 cm spacing 326103: 15 side holes with 20 cm spacing 3224774: 12 side holes with 20 cm spacing

- Calves have to work for their food and engage in a playful way
- Suitable for group housing

Ref. no.	Description	Colour	Material	Capacity	Ð	€
326102	Small	black	PVC	85 L	1/10	62,99
326103	Big	black	PVC	195 L	1/6	81,99
3224774	Small	grey	Cotton	85 L	1/12	39,99

Ref. no.	Description	Material	suitable for	Ð	€
3224775	Hay Net Retaining Hook	Aluminium		1/50	7,99
323506	Wall Mount	galvanised metal		1/1/10	25,99
326104	Floor bracket	galvanised metal	323520, 326102, 326103, 3224774, 299135	1	68,99







*<b>ČKERBL* 

#### Albert Kerbl GmbH

Felizenzell 9 84428 Buchbach Germany Telefon +49 8086 933-100 Telefax +49 8086 933-500 www.kerbl.com info@kerbl.com

#### © 08/2024

We are constantly striving to improve our stock of products and keep them right up to date. We reserve the right to make design changes. The publication of this catalogue renders all previous catalogues and prices lists for these products invalid. All prices provided are the manufacturer's recommended retail prices and are inclusive of VAT. All information is subject to typesetting and printing errors. Price alterations and errors reserved. Colours and designs may vary due to printing processes. Reprinting – even just of extracts – is only permitted only with prior consent.